



GOVERNMENT OF WEST BENGAL DIRECTORATE OF FORESTS Office of the Divisional Forest Officer, Rupnarayan Division.

E-Tender for Selection of bona-fide persons/agencies/companies, including consortium and partnership firms to undertake under Construction of Pipe Spillway and Inlet for Construction of Water Detention Structure in Rupnarayan Division under Jaltirtha Scheme.

eNIT No. WBFOR/DFORPN/eNIT-.18/ JALTIRTHA of 2022-23 of Rupnarayan Division





Government of West Bengal Directorate of Forests Office of the Divisional Forest Officer, Rupnarayan Division PO Vidyasagar University, Rangamati, Midnapore, Paschim Medinipur-721102. Phone & Fax-03222-275494, E-mail : dforupmid-wb@nic.in

Memo No. <u>50</u> /2- e_Tender

Dated, Midnapore the <u>06/01</u>/2023

Notice Inviting Tender No. WBFOR/DFORPN/eNIT _18_/JALTIRTHA OF 2022-23

<u>Tender for Construction of Pipe Spillway and Inlet for Construction of Water</u> <u>Detention Structure in Rupnarayan Division under Jaltirtha Scheme.</u>

The Divisional Forest Officer, Rupnarayan Division invites e-tenders for the following work(s) from the eligible persons/agencies/companies, including consortium and partnership firms as detailed in the table below. [Collection (downloading) and Submission (uploading) of Tender can be made online through the website https://wbtenders.gov.in only].

Name of Project: Construction of Pipe Spillway and Inlet for Construction of Water Detention Structure in Rupnarayan Division under Jaltirtha Scheme.						
Administrative Approval No. 6980/P&S(P)/3D-685(WC)/2019-20						
Work Sites	Jadabnagar, Magurasole & Hurhuria Mouza of Amlagora Range and Patharmari Mouza of Hoomgarh Range					

Tender Notice No	Name of work	Location of works	Estimated Amount Put to tender (Rs.)	Earnest Money [2%] to be deposited (Rs.)	Period of Completion of the work
	Construction of Pipe Spillway and	Jadabnagar Mouza, under Amlagora Range	70,20,396/-		
WBFOR/DFO RPN/e-NIT- 18_/JALTIRT	inlet for Construction of Water Detention	Magurasole Mouza, under Amlagora Range	65,91,551/-		90 days of issuance of
HA of 2022-23	Structure in different locations under Rupnarayan Division	Hurhuria Mouza, under Amlagora Range	51,16,283/-		work order.
		Patharmari Mouza, under Hoomgarh Range			
	Tota	ıl Rs.	2,35,28,325/-	4,70,567/-	

The Divisional Forest Officer, Rupnarayan Division reserves the right to cancel any work without assigning any reason thereof.

In the event of e-filling, intending bidder may download the tender documents from the website <u>https://wbtenders.gov.in</u> directly with the help of Digital signature Certificate. Tenderer will select the tender to bid and initiate payment modes (vide Finance Department Memorandum no. 3975-F(Y) Dated 28/07/2016)

- i) Net banking (any of the banks listed in the ICICI Bank Payment gateway) in case of payment through ICICI Bank Payment gateway.
- b) Exemption of any kind for any of the eligible bidder towards cost of EMD will be according to
 - i. 4245-F(Y) dated 28th May 2013 issued by Finance Department, Audit Branch, Government of West Bengal.
 - ii. 6718-F(Y) dated 08/09/2015 issued by Finance Department, Audit Branch, Government of West Bengal.

	Schedul	e c	of l	Date	s:	
- [01.11					

Sl.No.	Particulars	Date & Time
1	Date of uploading N.I.T. Documents-Online	07.01.2023 at 10.00 AM
	(Publishing Date)	
2	Documents download start date (Online)	07.01.2023 at 10.00 AM
3	Documents download end date (Online)	29.01.2023 at 11.00 AM
4	Bid submission start date (Online)	07.01.2023 at 10.30 AM
5	Bid submission closing date (Online)	30.01.2023 at 05.00 PM
6	Bid opening date for Technical Proposal (Online)	02.02.2023 at 11.00 AM
7	Date of uploading technically qualified bidders (Online)	To be notified in due course
8	Date of opening Financial Bids (Online)	To be notified in due course
Ũ		

Note:

1) In case of any unscheduled holiday or on days of Bandh or natural calamity on the aforesaid dates, the next working day will be treated as scheduled / prescribed date for the same purpose.

2) The Tender Inviting Authority may change the venue of opening the Technical or Financial Bids in case of exigent circumstances like breakdown of communications link or conditions of force majeure.

3) The Tender Inviting Authority reserves the right to defer the date of opening of either Technical or Financial Proposal or both, if required.

INSTRUCTION TO BIDDERS (ITB)

Section – A

1. General Guidance for e-Tendering

1.1 Instructions / Guidelines for tenderers for electronic submission of the tenders online have been shown in Web site https://wbtenders.gov.in

1.2Registration of Contractors

Any contractor willing to take part in the process of e-tendering will have to be enrolled and registered with the Government e-Procurement System.

1.3 Digital Signature Certificate (DSC)

Each contractor is required to obtain a Class-II or Class-III Digital Signature Certificate (DSC) for submission of tenders.

1.4 Collection of Tender Documents

The contractor can search and download NIT and tender documents electronically from computer once he logs on to the website mentioned in Clause 1.1 using the Digital Signature Certificate. This is the only mode of collection of tender documents.

1.5 Participation in more than one work

A prospective bidder shall be allowed in the job either in the capacity of individual or as a partner of a firm or registered company.

2. Submission of Tenders:

2.1General process of submission:

Tenders are to be submitted online through the website stated in Clause 1.1 in two folders, at a time for each work, one is Technical Proposal and the other is Financial Proposal, before the prescribed date and time mentioned in the list attached. Using the Digital Signature Certificate (DSC), the documents are to be uploaded, virus scanned and digitally signed. Tenderers should specially take note of all the addendum/corrigendum related to the tender and upload the latest documents as part of the tender.

2.2 Technical Proposal

The Technical Proposal should contain scanned copies and/or a declaration in standardized formats of the following in two covers (folders).

A. Technical File (Statutory Cover) containing

- i. NOTICE INVITING TENDER (NIT) (to be submitted in "NIT" Folder).
- ii. Section B (Form I, Form II, Form III, Form IV and AFFIDAVIT Y)

(to be submitted in "FORMS" Folder).

- iii. Instructions to Bidders. (to be submitted in "ITB" Folder)
- iv. General Terms & Conditions of Contract. (to be submitted in "GT AND CC" Folder)

v. Technical Specification. (to be submitted in "TS "Folder)

vi. Drawing if Any to ("DRAWING" Folder)

Note:

Tender document may be downloaded from website &submission of Technical Bid/Financial Bid as per Tender Schedule

vii. Addenda/Corrigenda, if published: Contractors are to keep track of all the Addendum/Corrigendum issued with a particular tender and upload all the above, digitally signed, along with the NIT. Tenders submitted without the Addendum/Corrigendum will be treated as invalid and liable to be rejected.

B. My Document (Non-Statutory Cover)

В.	My Document (Non-S			· · · · · · · · · · · · · · · · · · ·
S1.				
No.	Category Name	Sub-Category Descript	tion	Document Name
				(For details see Clause 3 of ITB & relevant clauses of NIT)
			1	Up to date Professional Tax deposit receipt challan
			2	Updated GST Registration Certificate & updated GST
				Return for the last month.
			3	I.T.R. Acknowledgement Receipt (last 3 years)
				I.T. PAN Card, ESI & EPF Registration Certificate (If EPF
			4	and ESI is not required by law, declaration with proper
А.	CERTIFICATES	CERTIFICATES		justification is to be submitted on letter head of The
				Company/ Firm properly stamped and signed).
			5	Voter ID Card / Aadhar Card
				Enlistment Certificate/ Trade License for Construction of
			6	Pipe Spillway and Inlet for Construction of Water detention structure or similar nature of work
				structure of similar nature of work
			7	ESI and EPF up to date payment certificate
			0	All up-to-date documents regarding taxes and charges as
			8	applicable
			1	Proprietorship Firm - Trade Licence.
			-	Partnership Firm - Registered Partnership Deed,
			2	Registered Power of Attorney, Trade licence.
	COMPANY	COMPANY	3	Pvt. Ltd. Company - Registration Certificate under
В.	DETAILS	DETAILS	5	
				Company's Act, MOA & AOA, Registered Power
				of Attorney, Trade licence. Registered Un-employed Engineers and Labour Co-operative
			4	Societies Limited.
				Credentials of Construction of Pipe Spillway and Inlet for
			1	Construction of Water detention structure or similar nature
				of work from designated authority as mentioned in 3(s).
				Certificate from charted accountant of total monetary value
C.	CREDENTIAL	CREDENTIAL	2	of construction work performed for each of the last three
С.	CREDENTIAL	CREDENTIAL	2	years.
				Authenticated copy of invoice, challan and way bill
		PLANTS &		(Machinery/Tools/Equipment).Bidder should own required
D.	EQUIPMENTS	MACHINERIES	1	machinery for execution of work & upload necessary
		MACHINERIES		supporting documents online.
				Profit & Loss statement & Last Three years Audited Balance
	FINANCIAL	Turnover	1	Sheet.
E.	(INFO)	PAYMENT		Only Payment Certificate of work issued by the Concerned
		CERTIFICATE	2	authority and not the TDS certificate
Inclusive	e of all other Govt. Rul	les for attending tender.	l	
		Structure &	1	Details of structure and organisation Section B Form III
F		organisation		-
	Declaration	AFFIDAVIT-Y	2	An affidavit made that no adverse report against the bidder
		TECHNICAL STAFF	3	An affidavit mentioning the name of the technical staff.
2.2 Eine	ncial Proposal	I	1	

2.3. Financial Proposal

i) The financial proposal should contain the Bill of Quantities (B.O.Q) in one cover (folder). The contractor is to quote the percentage rate indicating

• Excess in % or

- Less in % or
- Excess or Less 0.00% to indicate at par
- in the space marked for quoting rate in the BOQ.

ii) Only downloaded copy of the B.O.Q. are to be uploaded quoting the rate, virus scanned & digitally signed by the contractor.

3. Eligibility Criteria for participation in tender:

(a) The bidder should have been all necessary permission, registration and license as applicable. The bidder should have valid PAN, GSTIN Registration, ESI and EPF registrations. (If EPF and ESI is not required by law, declaration is to be submitted on letter head of The Company/ Firm properly stamped and signed). Bidders should also upload copy of bank solvency certificate.

(b) All categories of prospective Tenderers shall have to submit valid and upto date Professional Tax receipt challan, GST registration certificate, Income Tax Return Acknowledgement receipt for last 3 years, PAN card issued by Income Tax Department, Voter ID card, Aadhar Card and Trade licence for similar nature of work in respect of the prospective tenderer.

(c) Where an individual person holds a Certificate in his own name duly issued to him against the company or the firm of which he happens to be a director or partner, such individual person shall, while submitting any tender for and on behalf of such company or firm, invariably submit a copy of registered power of attorney showing clear authorization in his favour, by the rest of the directors of such company or the partners of such firm, to submit such tender. The Power of Attorney shall have to be registered in accordance with the provisions of the Registration Act, 1908. (Non-statutory Documents).

(d) Neither prospective Tenderer nor any of the constituent partners had been debarred to participate in any Tender by the State/ Central Government, State /Central Government undertaking, Statutory/ Autonomous bodies constituted under theCentral/ State statute during the last 5 (five) years prior to the date of this NIT. Such debarring will be considered as disqualification towards eligibility. (A declaration in this respect has to be furnished by the prospective bidders as per prescribed format). [Non-statutory Documents]

(e)The partnership firm shall furnish the Registered Partnership Deed and the Company shall furnish the Memorandum of Association (MOA) and Article of Association (AOA.) [Non-statutory Documents]

(f)Registered Un-employed Engineers' Co-operative Societies / Labour Co- operative Societies are required to furnish the following documents: - [Non-statutory Documents]

- i. Current "No Objection Certificate" from the Assistant Registrar of Co-operative Societies.
- ii. Supporting documents showing area of operation.
- iii. Bye-laws duly approved by the Assistant Registrar of Co-operative Societies.
- iv. Name with address and signature (in original) of the present Board of Directors of the Co-operative Society
- v. Copies of Minutes of last Annual General Meeting and Audit Report of the Co-operative Society with the evidence of submission of the same to the concerned Authorities, duly attested.

(g) The prospective Tenderers or any of their constituent partner shall neither have abandoned any work nor any of their contract have been rescinded during the last 5 (five) years. Such abandonment or rescission will be considered as disqualification towards eligibility.

(h) Joint Ventures not allowed.

(i) A prospective Tenderer shall be allowed to participate in the job either in the capacity of individual or as a partner of a firm. If the prospective Tenderer is found to have applied severally in a single job, all his applications will be rejected for that job.

(j) Conditional / Incomplete Tender will not be accepted under any circumstances.

(k) Credential of Pipe Spillway and Inlet for Construction of Water Detention Structure or other similar nature of work is to be submitted as per PWD, Govt of West Bengal Order No. 04-A/PW/O/10C-02/14 dated 18.03.2015.

(1) Absence of any of these details / lack of proof or lack of sufficient documents to substantiate the above shall make the Tenderer / Bidder ineligible for further consideration. During the process of evaluation, if undersigned finds that there are any wrong details, mis-representation or false declarations given by the Tenderer / Bidder, the undersigned shall have the right to disqualify and / or black list the firm and take other action as deemed necessary.

(m) Tenderers has to produce duly self-attested supporting documents/certificate from the employer/client with whom they have worked. Audited Balance Sheet duly certified by the Chartered Accountant and valid payment certificate issued by the Govt. Organisation/PSU/Semi Govt. Organisation along with the application (online). Information of audited financial statements for the last 3 years to demonstrate the current soundness of the bidders financial position. The bidder's net worth for the last year calculated on the basis of capital, profit and free reserve available to the firm should be positive.

(n) Agencies are required to give a detail work programme in the form of a bar chart/work flow chart along with tender.

(o) The bid submission by an intending tenderer who is already blacklisted in any State/Central Government, State/ Central Government Undertaking, Statutory/ Autonomous bodies constituted under the Central/ State Statute will not be entertained.

(p) All the participants have to upload undertaking that they do not have any litigation that past or present with any Govt./PSU/Semi-Govt. Organisation of the State.

(q) The eligibility of a bidder will be ascertained on the basis of the attached documents uploaded using digital signature in support of the minimum criteria and the declaration executed through prescribed affidavit in non-judicial stamp paper (must be upload both sides of Stamp Paper) of appropriate value duly notarised. If any documents submitted by a bidder is either manufacture or false, in such cases, the eligibility of the bidder/tenderer will be out rightly rejected at any stage without any prejudice.

(r) The successful L1 Bidder must submit the hard copy of all tender documents to the tender inviting authority with his acceptance letter of the LOI (Letter of intent). Failure to submit the hard copy with the acceptance letter within the time period prescribed for the purpose may be constructed as an attempt to disturb the tendering process and dealt with such matter will be legal process including blacklisting the bidder.

(s) Completion of work for Construction of Pipe Spillway and Inlet for Construction of Water Detention Structure or similar nature of work is to be submitted. "Completion" means completion certificate from the Divisional Forest officer /Divisional Engineer/ equivalent is to be produced in support of above criteria clearly stating that the works entrusted to the bidder have been successfully completed. In case of completion certificate having other works clubbed in addition to those mentioned above, the value of works pertaining to works as applicable for tender must be mentioned separately. Completion certificate produced as credential should clearly indicate the description of works, value contract, executed work value, date of award, actual date of completion etc and name, address, telephone no. of the client. Certificate from the private individual and organisation for whom such work are executed shall not be accepted.

4. Opening of Technical Proposal: -

Technical proposals will be opened by the authorized representatives electronically from the website stated in Clause 2.1, using their Digital Signature Certificate.

Intending tenderers may remain present, if they so desire.

Cover (Folder) for Statutory Documents should be opened first, if found in order, Cover (Folder) for Non-statutory Documents will be opened. If there is any deficiency in the Documents, the tender will summarily be rejected.

Decrypted (transformed into readable formats) documents of the non-statutory Cover will be downloaded, and handed over to the Tender Evaluation Committee (constituted for evaluation of tenders).

5. Uploading of summary list of technically qualified tenderers:

Pursuant to scrutiny and decision of the Tender Evaluation Committee (TEC), the summary list of eligible tenderers with the serial number of work(s) for which their Financial Proposals will be considered will be uploaded in the web portals. While evaluation, the Committee may summon the tenderers and seek clarification / information or additional documents or original hard copy of any of the documents already submitted and if these cannot be produced within the stipulated time frame, their proposals will be liable for rejection.

6. <u>Final publication of summary list of technically qualified tenderers :</u>

Date of opening of financial bid will to be intimated in the final summary list.

7. Opening and Evaluation of Financial Proposal :

Financial proposals of the tenderers declared technically eligible by the Tender Evaluation Committee will be opened electronically from the web portal stated on the prescribed date.

The encrypted copies will be decrypted and the rates will be read out to the contractors remaining present at that time.

After evaluation of Financial Proposal, by the appropriate Authority of Divisional Forest Officer, Rupnarayan Division, may upload the final summary result containing inter-alia, name of contractors and the rates quoted by them against each work

provided Tender evaluation committee is satisfied that the rate obtained is fair and reasonable and there is no scope of further lowering down of rate.

8. Procedures to be followed when one / two technically qualified tenderers participated in any tender:

Financial bid of technically qualified single / two tenderers may not be opened immediately 2nd call may be invited.

9. Acceptance of Tender (Technically eligible/qualified)

Lowest valid rate should normally be accepted. However, the Tender Accepting Authority does not bind himself to do so and reserves the right to reject any or all the tenders, for valid reasons and also reserves the right to distribute the work amongst more than one tenderer at the accepted rate after formal consultation with L1 (accepted rate) bidder and taking consent of L1 bidder for smooth & quick completion of the work.

10. Grounds for Suspension and Debarment

The procedure as laid down below shall govern the suspension/debarment of Suppliers/Contractors/Consultants (Contractors for brevity) involved in procurement for offences or violations committed during competitive bidding and contract implementation, for the works.

(1) Submission of eligibility requirements containing false information or falsified documents.

(2) Submission of Bids that contain false information or falsified documents, or the concealment of such information in the Bids in order to influence the outcome of eligibility screening or any other stage of the bidding process.

(3) Unauthorized use of one's name/digital signature certificate for the purpose of bidding process.

(4) Any documented unsolicited attempt by a bidder (A Person/Contractor/Agency /Joint Venture/Consortium/Corporation participating in the procurement process and/or a person / Contractor / Agency / Joint Venture / Consortium / Corporation having an agreement/contract for any procurement with the department shall be referred as Bidder) unduly influencing the outcome of the bidding in his favour.

(5) Refusal or failure to post a self-declaration to the effect of any previous debarment imposed by any other department of State Government and/or Central Government.

(6) All other acts that tend to defeat the purpose of the competitive bidding such as lodging false complain about any Bidder, lodging false complain about any Officer duly authorized by the Department, restraining any interested bidder to participate in the bidding process, etc.

(7) Assignment and subcontracting of the contract or any part thereof without prior written approval of the procuring entity.

(8) Whenever adverse reports related to adverse performance, misbehaviour, direct or indirect involvement in threatening, making false complaints etc. damaging the reputation of the department or any other type complaint considered fit by the competent authority of the department, are received from more than one Officer or on more than one occasion from individual Officer.

(9) Refusal or failure to post the required performance security / earnest money within the prescribed time without justifiable cause.

(10) Failure in deployment of Technical Personnel, Engineers and/or Work Supervisor having requisite license / supervisor certificate of competency as specified in the contract.

(11) Refusal to accept an award after issuance of "Letter of Acceptance" or enter into contract with the Government without Justifiable cause.

(12) Failure of the Contractor, due solely to his fault or negligence, to mobilize and start work or performance within the specified period as mentioned in the "Letter of Acceptance", "Letter of Acceptance cum Work Order", "Work Order", "Notice to Proceed", "Award of Contract", etc.

(13) Failure by the Contractor to fully and faithfully comply with its contractual obligations without valid cause, or failure by the Contractor to comply with any written lawful instruction of the Procuring Entity/Authority (the Officer authorized by the Divisional Forest Officer, Rupnarayan Division. for procurement) or its representative(s) pursuant to the implementation of the contract.

(14) For the procurement of Consultancy Service/Contracts, poor performance by the Consultant of his services arising from his fault or negligence. Any of the following acts by the Consultant shall be construed as poor performance.

(i)Non deployment of competent technical personnel, competent Engineers and/or work supervisors;

(ii)Non-deployment of committed equipment, facilities, support staff and manpower;

(iii)Defective design resulting in substantial corrective works in design and/or construction;

(iv)Failure to deliver critical outputs due to consultant's fault or negligence;

(v) Specifying materials which are inappropriate and substandard or way above acceptable standards leading to high procurement cost;

(vi) Allowing defective workmanship or works by the Contractor being supervised by the Consultant.

(15) For the procurement of goods, unsatisfactory progress in the delivery of the goods by the manufacturer, supplier, or distributor arising from his fault or negligence and/or unsatisfactory or inferior quality of goods, vis-à-vis as laid down in the contract.

(16) Wilful or deliberate abandonment or non-performance of the project or Contract by the Contractor resulting in substantial breach thereof without lawful and/or just cause.

CATEGORY OF OFFENCE :-

(A) First degree of offence: 1 to 16 of the above Clause-41 to be considered as First degree of offence.

(B) Second degree of offence: Any one of the offences as mentioned under 'A' above, committed by a particular Bidder/Contractor/Supplier on more than one occasion, be considered as Second degree of offence.

In addition to the penalty of suspension/debarment, the bid security / earnest money posted by the concerned Bidder or prospective Bidder shall also be forfeited.

PENALTY FOR OFFENCE :-

- (I)For committing First degree of offence: Disqualifying a Bidder from participating in any procurement process under Directorate of Forest, Govt of West Bengal up to 2 (two) years.
- (II) For committing Second degree of offence: Disqualifying a Bidder from participating in any procurement process under the Directorate of Forest, Govt of West Bengal up to 3 (three) years.

<u>11. Earnest Money Deposit (EMD)</u>:

a) Earnest Money payment:

i. Net banking (any of the banks listed in the ICICI Bank Payment gateway) in case of payment through ICICI Bank Payment gateway.

b) Exemption of any kind for any of the eligible bidder towards cost of EMD will be according to

i. 4245-F(Y) dated 28th May 2013 issued by Finance Department, Audit Branch, Government of West Bengal.

ii. 6718-F(Y) dated 08/09/2015 issued by Finance Department, Audit Branch, Government of West Bengal.

c) <u>Refund of EMD:</u> The EMD of the unsuccessful Tenderer will be refunded as per notification issued by Finance Department, Government of West Bengal, Memo no. 3975-F(Y) dated 28/07/2016.

d) Intending Tenderers should download the Tender Documents from the website http://wbtenders.gov.in directly with the help of Digital Signature Certificate.

e) Both Technical Bid and Financial Bid should be submitted duly digitally signed by the Tenderer through the website http://wbtenders.gov.in as per the 'Date & Time Schedule' stated in this N.I.T. (Details of which has been narrated in 'Instruction to Bidders')

12. Opening of Tender:

- (a) The Technical Bid shall be publicly opened by the authority receiving tender or by his authorized representative, as per the Date & time Schedule mentioned in NIT.
- (b) Prospective Tenderers or their authorized representatives may be present during the opening process.
- (c) Financial Bids of only those tenderers who would qualify in the Technical Bid evaluation will be opened.
- (d) The intending Tenderers shall clearly understand that whatever may be the outcome of the present Invitation of Tender, no cost of Tendering shall be reimbursable by the Government. The Divisional Forest Officer, Rupnarayan Division reserves the right to reject any tender or all Tenders without assigning any reason whatsoever and is not liable for any cost that might have incurred by any Tenderer at any stage of Tendering.
- (e) The acceptance of the tender rests The Divisional Forest Officer, Rupnarayan Division who does not bind himself to accept the lowest tender and reserves to himself the authority to reject any or all the tenders received without assigning any reason thereof.
- (f) The Contractor/Bidder should see the site of works and Tender Documents, Drawings etc. before submitting e-Tender and satisfy himself/herself regarding the condition and nature of works and ascertain difficulties that might be encountered in executing the work, carrying materials to the site of work, availability of drinking water and other human requirements & security etc. Work on river banks may be interrupted due to a number of unforeseen reason viz. sudden rises in water levels, inundation during flood, inaccessibility of working site for carriage of materials. Engineer-in Charge may order the contractor to suspend work that may be subjected to damage by climate conditions. No claim will be entertained on this account. There may be variation in alignment, height of embankment or depth of cutting, location of revetment, structures etc. due to change of topography, river condition and local requirements etc. between the preparation and execution of the scheme for which the tendered rate and contract will not stand invalid. The Contractor will not be entitled to any claim or extra rate on any of these accounts.

13. The selected Contractor must arrange to procure all materials required for the proper completion of the work (as per the Technical Specifications of the tender document). The Employer will not on any account be responsible for procuring the same. The selected contractor shall apply to Divisional Forest Officer, Rupnarayan Division for seeking permission for utilization of land at the close proximity of the site for arranging required (if any) plant & machineries, store of materials, labour shed, laboratory etc. at his own cost and responsibility. All such temporary shed etc. shall have to dismantled and all debris etc. cleared from site post completion of the work or as directed by Divisional Forest Officer, Rupnarayan Division. Once an order to the effect is issued the Divisional Forest Officer, Rupnarayan Division. in this regard, it shall be brought to effect by the contractor without contest.

14. The bidder whose tender will be accepted shall perform formal agreement with the Divisional Forest officer, Rupnarayan division, within 7 days from the date of intimation after purchase of formal agreement documents from the concerned division office. The duly signed agreement papers then are to be submitted to the office of the undersigned. If the contractor fails to perform these formalities his tender will be liable to be cancelled with forfeiture of earnest money.

15. Validity of Bids:

Generally, Bids will be valid for 120 days from the date of opening of the financial proposal. However, extension of bid validity may be suitably considered by the Tender Inviting Authority, if required, subject to obtaining a written confirmation of the contractor/bidder(s) to that effect Withdrawal of e-Tender once the bid has been submitted online and after passing of end date for submission which has been accepted for further processing is not allowed. EMD will be forfeited by Divisional Forest Officer, Rupnarayan Division and the bidder/contractor penalized in terms of provisions in the notice of the tender (Sl. 10 of ITB).

16. Verification of credentials/onsite projects:

Before issuance of the work order, the Tender Accepting Authority may verify the credential and other original documents of the lowest Tenderer if found necessary. After verification, if it is found that such documents submitted by the lowest Tenderer is either manufactured or false in that case, work order will not be issued in favour of the Tenderer under any circumstances and legal action will be taken against him.

17. Cancellation of Tender :

The Divisional Forest Officer, Rupnarayan Division reserves the right to cancel this N.I.T. due to unavoidable circumstances and no claim in this respect will be entertained.

18. Security Deposit:

While making any payment to the contractor whose tender has been accepted for work done under the contract, the authority making payment shall deduct such sum which together with the Earnest Money already deposited and converted into security deposit, shall amount to 3% of the value of works executed at the material point of time and paid during the progressive running accounts bills, so that total deduction together with Earnest Money constitute 3% of the tendered value of work actually done (Vide memo No. 796-F(Y) Date: 25th February, 2022,Finance Department, Audit Branch, Government of West Bengal).

The Head of account for depositing the EMD with Operator's Code is **8443-00-109-003-07** (EMD) (Operator's Code-**109**) and that of Security deposit with Operator's Code is **8443-00-109-003-07** (Security Deposit) (Operator's Code-**109**). The adjustment through refund shall be made through the head of Account **00-8443-00-109-003-0-23-00** after maintaining due formalities in this regard.

Compensation of all other sums of money payable by the contractor to the Government under the terms of the contract may be deducted from the security deposit.

However, even though the earnest money deposited exceeds the prescribed percentage, due to reduction of tendered amount due to any reason whatsoever, such additional earnest money shall be deemed to have been converted into security and further deductions from progressive bills shall be made, taking into consideration the enhanced component of earnest money so converted into security.

Additional Performance Security @ 10% of the tendered amount in the form of Bank Guarantee from a Scheduled Bank, valid up to the date of completion of work, shall be obtained from the successful bidder, if the accepted bid value is 80% or less than the estimated amount put to tender.

If the bidder fails to submit Additional Performance Security within 7 (seven) working days from the date of LoI or the time period as approved by the Tender inviting Authority, his Earnest Money will be forfeited.

If the bidder fails to complete the works successfully, the Additional Performance Security along with Security Deposit lying with the Divisional Forest Officer, Rupnarayan Division shall be forfeited at any time during the pendency of contract period as per relevant Clauses of the Contract.

Necessary provisions regarding deductions of Security Deposit from the progressive bills of the Contractor as per relevant clauses of the contract will in no way be affected/ altered by this Additional Performance Security.

19. Technical Specification and Quality of Works (To be read in conjunction with "Specification of Works"):

Unless otherwise stipulated, all the works are to be done as per the Technical Specifications of the tender document. Contractor

may refer to the relevant PWD (W.B.) Schedule of Rates for the working area including up to date addenda and corrigenda, if any, published by Public Works Department, Government of West Bengal. The project should be executed as per current procedure and practice of Directorate of Forests, Govt. of West Bengal.

20. Deduction of Taxes Etc:

Deduction of Income Tax & other taxes from the Contractors Bill will be made as per existing govt. rules.

21. Defect Liability Period:

If the contractor or his workmen or servants or authorized representatives shall break, deface, injure, or destroy any part of building, in which they may be working, or any building, road, road-curbs, fence, enclosure, water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous to the premises, on which the work or any part of it is being executed, or if any damage shall happen to the work from any cause whatsoever or any imperfection become apparent in it at any time whether during its execution or within a period of three months or six month or one year or three years or five years, as the case may be (depending upon the nature of the work as described in the explanation appended hereto) hereinafter referred to as the Defect Liability Period, from the actual date of completion of work as per completion certificate issued by Divisional Forest Officer, Rupnarayan Division, the contractor shall make the same good at his own expense, or in default, Divisional Forest Officer, Rupnarayan Division, may cause the same to be made good by other workmen and deduct the expense (of which the certificate of Divisional Forest Officer, Rupnarayan Division shall be final and binding on all concerned) from any sums, whether under this contract or otherwise, that may be then, or at any time thereafter become due to the contractor from the Directorate for Forests, West Bengal or from his security deposit, either full, or of a sufficient portion thereof and if the cost, in the opinion of Divisional Forest Officer, Rupnarayan Division (which opinion shall be final and conclusive against the contractor), of making such damage or imperfection good shall exceed the amount of such security deposit and/or such sums, it shall be lawful for the Directorate for Forests, West Bengal to recover the excess cost from the contractor in accordance with the procedure prescribed by any law for the time being in force.

22. Removal of Discrepancy:

If any discrepancy arises between two similar clauses on different notification, the clause as stated in later notification will supersede former one in following sequence:-

- a. Form of Agreement
- b. N.I.T.
- c. Technical Specifications
- d. General Terms and Conditions
- e. Relevant PWD (W.B.) Schedule of Rates
- f. Instructions to Bidders

23. MOBILISATION ADVANCE/ COST OVER RUN:

No Mobilisation Advance and Secured Advance will be allowed.

24. Canvassing in connection with the tender is strictly prohibited.

25. Site of work and necessary drawings may be handed over to the successful Tenderer along with the work order or in a phase wise manner as deemed fit by The Divisional Forest Officer, Rupnarayan Division. No claim in this regard will be entertained.

26. The successful Tenderer will have to start the work as per the work order to commence the work.

27. The contractor shall not be entitled for any compensation for any loss suffered by him due to delay arising out for modification of the work, due to non-delivery of the possession of site and / or modification of work etc.

28. Prevailing safety norms has to be followed by the successful Tenderer during execution of the work so that LTI (Loss of time due to injury) is zero.

29. Guiding schedule of works should be followed as per existing norms, patterns, lying in the working division. The whole work should be started after informing the concerned Forest Range Officer and the work will be monitored by the undersigned, his authorized representative and 3^{rd} party monitoring.

30. No tenderer shall be deemed to be fit for consideration unless the tender documents are fully and completely filled in. All information that may be asked from the Tenderer must be unequivocally furnished. The eligibility of a Tenderer will be ascertained on the basis of the documents submitted by a Tenderer in support of eligibility criteria. If any document submitted by a Tenderer is found to be incomplete/incorrect/ manufactured / fabricated or false, his Tender will be out rightly rejected at any stage and legal action will be taken against him.

31. A Tenderer is to quote in figures as well as in words, his rates in the following forms as applicable in his cases against the estimated value put to tender of the tender form (BOQ).

32. In the event of a tender being submitted by a firm, it must be signed by a member or members of the firm having legal authority to do so and if called for, legal documentations in support thereon must be produced for inspection and in the case of a firm carried out by one member or a joint family it must disclose that the firm is duly registered under the Indian Partnership Act.

33. The Tenderer must sign at the bottom of each page of the tender documents as a proof of acceptance of terms and conditions of the Tender. Overwriting shall not be allowed. All corrections, alternations etc. must be duly signed.

34. It must be clearly understood that the quantities of the various items indicated in the schedule or probable items are approximate only and may be appreciably increased or decreased during actual execution. The contractor shall remain effected by alteration.

35. The successful tenderer shall have to comply with the provision of the Minimum Wages Act, 1948 (d) and the subsequent amendments thereof.

36. Work order will be issued subject to availability of fund, administrative approval and financial sanction from the competent authority.

37. The completion of works shall be checked by engaging a third party having requisite technical qualification to ensure the quality and quantity of the work. The final payment will be subject to such evaluation & submission of report thereof.

38. In case of any clarification, the norms/conditions laid down in Audit Branch, Finance Department, Government of West Bengal G.O No. 5696-F(Y) dated 1st October, 2019 shall prevail over.

RATES ARE FIRM FOR THE PERIOD OF THE PROJECT. IN CASE ANY ABNORMAL DEVIATION IS OBSERVED DURING THE COURSE THE TENDER ACCEPTING AUTHORITY MAY REFER TO THE APPROPRIATE HIGHER AUTHORITY OF DIRECTORATE OF FORESTS, WEST BENGAL IN DECIDING ON THE RATE REVISIONS (IF NEEDED).

> Sd/-Manish Kumar Yadav Divisional Forest Officer, Rupnarayan Division.

Memo No. <u>50</u> /2- e_Tender

Dated, Midnapore the $_{06/01}/2023$

- Copy for information and wide Circulation to: -1. The Sabhadhipati, Paschim Medinipur Zilla Parishad.
- 2. The Principal Chief Conservator of Forests & HoFF, West Bengal
- 3. The Chief Conservator of Forests, Western Circle, West Bengal-along with a request to return one copy duly approved.
- 4. The Chief Conservator of Forests, MIS & E-Governance –with a request to publish Tender/E-Tender Notice on website.
- 5. The Conservator of Forests, Administration, Publicity & Marketing, West Bengal
- 6. The District Magistrate, Paschim Medinipur.
- 7. The Superintendent of Police, Paschim Medinipur.
- 8. The District Information & Culture Officer, Paschim Medinipur.
- 9. The Sub-Divisional Officer, Midnapore Sadar, Paschim Medinipur.
- 10. The Treasury Officer, Midnapore Treasury.
- 11. All Divisional Forest Officer's, Western Circle, West Bengal.
- 12. The Assist. Divisional Forest Officer, Rupnarayan Division.
- 13. The Head Clerk, Rupnarayan Division.
- 14. The Budget, Accounts & Revenue Section.
- 15. All Range Officers (Territorial), Rupnarayan Division.
- 16. The Attached Forest Ranger, Rupnarayan Division.
- 17. Notice Board, Rupnarayan Division.
- 18. Shri / FPC_

Divisional Forest Officer. **Rupnarayan Division**

Section – B FORM-I APPLICATION (To be submitted in the original letterhead of The Firm/Company)

To,

Divisional Forest Officer, Rupnarayan Division.

Subject: Name of the Work with Tender reference no. ______.

Reference: (N.I.TNo.)_____

Dear Sir / Madam,

Having examined the Statutory, Non-statutory and NIT documents; I/We hereby submit all the necessary information and relevant documents for evaluation.

The necessary evidence admissible by law in respect of authority assigned to us on behalf of the group of firms for application and for completion of the contract documents is attached herewith.

I/We are interested in bidding for the work mentioned above.

I/We understand that

- (a) Tender Inviting Authority and Accepting Authority can amend the scope and value of the contract bid under this project
- (b) Tender Inviting Authority and Accepting Authority reserve the right to reject any tender without assigning any reason.

The application is made by me/us on behalf of ______in the capacity of ______duly authorized to submit the tender.

Enclosure:

- (1) Technical Proposal (Envelop-1/Folder)
- (2) Financial Proposal (Envelop-2/Folder)

Date:____

Authorized signatory of the firm/company:
Title & Capacity of the officer:
Name of the Farm with Seal:

Section-B FORM II (TO BE FILLED UP BY TENDERER)

(To be submitted in the original letterhead of The Firm/Company)

To,

Divisional Forest Officer, Rupnarayan Division. Dear Sir/ Madam,

Ref:-

Tender Reference No.

- I/ We have satisfied myself/ ourselves as to the site conditions, examined the drawings and all aspects of tender conditions, subject above, I/ We hereby agree, should this tender be accepted in whole or in part, to:

 (a) abide by and fulfil all the terms and provisions of the said conditions annexed hereto;
 - (b) complete the works within.....days.
- 3. I/ We have deposited the earnest money of Rs.______only which, I/ We note that deposited EMD, will not bear any interest and is liable for forfeiture-
 - (i) If our offer is withdrawn within the validity period of acceptance.
 - (ii) If the contract is not executed within 7 days from the date of receipt of the letter of acceptance. Or
 - (iii) If the work is not commenced within 7 days after issue of work order/ handing over of the site whichever is later.
- 4. I/ We understand that you are not bound to accept the lowest or any tender you receive.

Yours faithfully,

Signature	
Designation :	
Address	:

Name of Proprietor/Partners/Directors of the Firm/Company:

1) _____. 2) _____.

Section – B FORM – III STRUCTURE AND ORGANISATION (To be submitted in the original letterhead of The Firm/Company)

A.1. Name of the applicant (Tenderer):

A.2. Office Address:

Telephone No.: Fax No.:

e-mail:

A.3. Name and address of Bankers:

A.4. Attach an organization chart showing the structure of the company with names of key personnel and technical staff with Bio-data

Date:_____

 Authorized signatory of the Firm/Company:

 Title & Capacity of the officer:

 Name of the Firm with Seal:

Note: Application covers Proprietary Firm, Partnership, Pvt. Ltd. Company or Corporation

FORM IV EXPERIENCE PROFILE

List of Projects completed that are similar in nature to the Works (To be submitted in the original letterhead of The Firm/Company)

Name,	Name of	Contract	Percentage	Original	Original	Actual	Actual date	Reasons
Location	Authorised	price in	of	date of	date of	date of	of	for delay in
and	Supervisor	Indian	participation	starting	completion	starting	completion	completion
Nature	with	Rupees	of company	work	of work	of work	of work	
of Work	designation							
	Location and Nature	LocationAuthorisedandSupervisorNaturewith	LocationAuthorisedprice inandSupervisorIndianNaturewithRupees	LocationAuthorisedprice inofandSupervisorIndianparticipationNaturewithRupeesof company	LocationAuthorisedprice inofdate ofandSupervisorIndianparticipationstartingNaturewithRupeesof companywork	LocationAuthorisedprice inofdate ofdate ofandSupervisorIndianparticipationstartingcompletionNaturewithRupeesof companyworkof work	LocationAuthorisedprice inofdate ofdate ofdate ofandSupervisorIndianparticipationstartingcompletionstartingNaturewithRupeesof companyworkof workof work	LocationAuthorisedprice inofdate ofdate ofdate ofofandSupervisorIndianparticipationstartingcompletionstartingcompletionNaturewithRupeesof companyworkof workof workof work

Note: a) Certificate from the employer to be attached

b) Non-disclosure of any information in the schedule will result in disqualification of the firm.

Date.....

Authorized signatory of the Firm/Company

Title and capacity of the Officer

Name of the firm with seal

Section-B

AFFIDAVIT – Y

(To be furnished in Non-judicial stamp paper of appropriate value duly notarized)

- (I) I, the undersigned do certify that all the statements made in the attached documents are true and correct. In case of any information submitted, proved to be false or concealed, the application may be rejected and no objection/claim will be raised by the undersigned.
- (II) The undersigned also hereby certifies that neither our Firm/ Company______ nor any of constituent partners had been debarred to participate in tender by State/ Central Government, State /Central Government undertaking, Statutory/ Autonomous bodies constituted under the Central/ State statute in favour of whom credentials are preferred by the undersigned towards eligibility criteria claim; during the last 5 (five) years prior to the date of publication of this N.I.T.
- (III) The undersigned would authorize and request any Bank, person, Firm, or Corporation to furnish pertinent information as deemed necessary and/or as requested by The Divisional Forest Officer, Rupnarayan Division, herein referred to as the Tender Inviting & Accepting Authority, to verify this statement.
- (IV) The undersigned understands that further qualifying information may be requested and agrees to furnish any such information at the request of the Tender Inviting & Accepting Authority.
- (V) Certified that I have applied in the tender in the capacity of individual/as partner of a firm & I have not applied severally for the same job.

Date:

Name of the Firm with Seal:_____

GENERAL TERMS & CONDITIONS OF CONTRACT

1. Drawing / Map:

The work is to be carried out in accordance with drawings / maps (if any) related to these contract and specification, the priced schedule of probable items with approximate quantities and directions or instructions which may be issued by the Employer or his Representative from time to time during the execution of the contract.

2. Interpretations:

In constructing these conditions, the specifications, the schedule of quantities, tender and Agreement, the following words shall have the meaning herein assigned to them except where the subject of context otherwise requires:

I) The term EMPLOYER/AUTHORITY shall mean Divisional Forest Officer, Rupnarayan Division, and include its successor and assigns or the Officers authorized to deal with any matters which those presents are concerned on its behalf.

II) The term REPRESENTATIVE shall mean Authorized Official of The Divisional Forest Officer, Rupnarayan Division.

III) CONTRACTOR shall meanthe firm or company or person whose tender has been accepted by the employer and includes his (their) heirs, legal representative assigns and successors.

IV) SITE shall mean the site of the contract work including any erections thereof and any other land adjoining thereto (inclusively as aforesaid allotted by the Employer for the contractor's use).

V) This CONTRACT shall mean Articles of Agreement, these conditions, the schedule of quantities, the general instructions to the Contractor, the specifications, the drawings / maps and correspondences by which the contract is added, amended, valued of modified in any way by mutual consent.

- (VI) ACT OF INSOLVENCY shall mean any act of insolvency as desired by the Presidency Towns Insolvency Act or the Provincial Insolvency Act or any amending statutes.
- (VII) THE WORKS shall mean the work or works to be executed or done under this contract.
- (VIII) The DRAWINGS / MAPS shall mean the drawing/map or drawings/maps mentioned in NIT and any modifications of them approved by the Employer or any further Working drawings/maps or sketches by the Employer or any further working drawings/maps or sketches which may be furnished or approved in writing by the Employer.
- (IX) The SPECIFICATION shall include the plantation specification and general specifications forming part of this contract.
- (X) The SCHEDULE OF QUANTITIES, BILL OF QUANTITIES shall mean the Schedule or Quantities as specified and forming part of contract.
- (XI) The PRICED SCHEDULE OR QUANTITIES shall mean the schedule duly priced.
- (XII) NOTICE IN WRITING or WRITTEN NOTICE shall mean a notice in writing typed or printed characters sent (unless delivered personally) or otherwise proved to have been received by Registered Post to the last known private or business address as registered office of the addressee and shall be deemed to have been received when in the ordinary course of post it would have been delivered. If the employer feels that the contractor (who has signed the agreement) should himself come & personally meet to the employer for necessary discussion in connection with the work; he must contact personally. In case the contractor (not his authorized person) does not meet personally and intentionally avoids or do not reply the letter, the matter will fall under the breach of the contract. The work progress should be in the proportionate of the time frame set forth for the completion of the works.
- (XIII) The term APPROVED, DIRECTED or SELECTED mean the approval direction or selection of the Employer and where ever the words ALLOW, INCLUDE, and PROVIDE occurs the cost of the items is as the risk of the contractor. COMPLETION shall mean that the plantation in the opinion of the Tender Inviting Authority; completed in all respect.
- (XIV) WORDS imputing persons include Firms and Corporation, words imputing the singular only also the plural and vice/versa where the context so requires.

3. Scope of works:

Scope of work/supply includes furnishing all materials, labour, tools, machinery and equipment and management necessary for and incidental to the completion of the work. Mechanisation as approved by the Employer is preferred. All work during its progress and upon completion shall conform to lines as shown on the drawing/map furnished by the employer. Should any details essential for efficient completion of the work be omitted from the drawings/maps and specifications it shall be the responsibility of the Contractor to inform the Employer and to furnish and install such details with their concurrence, so that upon completion of the proposed work the same will be acceptable and ready for use. The Tenderers are to note that the scope of work as mentioned may be reduced to any extent which is absolutely at the discretion of the Employer. This reduction of the extent of work should not be a criterion for extra claim in respect of materials stored, establishment and cost incurred or any

other losses occurring out of these causes. The Contractor shall carry out and complete the works in every respect in accordance with this contract and in accordance with the directions and to the satisfaction of Employer who shall be the final authority. The Employer may in their absolute discretion issue further area drawings/maps and /or written instructions, details, direction and explanations which are hereafter collectively referred to as the Employer's instructions in regard to:

a) The variation or modification of the design, quality or quantity of works or the addition or omission or substitution of any work.

b) Any discrepancy in the drawings/maps or between the schedule of Quantities and /or Drawings/Maps and/or Specifications.c) The removal from the site of any materials brought thereon by the Contractor and the substitution of any other materials thereof.

d) The demolition, removal and/or re-execution of any work executed by the Contractor.

e) The dismissal from the work of any person employed thereupon.

f) The opening up for inspection of any work covered up.

g) The rectification and making goods of any defects under Clause hereinafter and those arising during the maintenance period (retention period).

The Contractor shall forthwith comply with and duly execute any work comprised in such Employer's instructions provided always that verbal instructions, directions and explanations given to the Contractor or his representative upon the works by the Employer shall, if involving a variation, be confirmed in writing by the contractor within seven days. No work, for which rates are not specifically mentioned in the priced schedule of quantities, shall be taken up without written permission of the Employer. Rates of items not mentioned in the Priced Schedule of Quantities shall be fixed by the Employer, as provided in Clause VARIATION. If complete with the Employer's instructions as aforesaid involves work and/or loss beyond that contemplated by the Contract then, unless the same were issued owing to some breach of this contract by The Contractor, the Employer shall pay to the Contractor the price of the said work an extra to be valued as hereinafter provided and /or loss.

4. Variations:

The Contractor may when authorized and shall when directed, in writing by the Employer or one or more representative of Employer whom the Employer may for that purpose appoint, shall be bound to add or omit from or vary the works shown upon the Drawings/Maps or described in specification or included in the Schedule of Quantities but the Contractor shall make no addition, omission or variation without such authorization or direction. A verbal authority or direction by the Employer, if confirmed by the Contractor in writing within seven days, be deemed to have been given in writing.

No claim for an extra shall be allowed unless it shall have been executed by the Contractor on specific direction on the Authority of Employer as herein mentioned any variation i.e. additions, omissions or substitutions shall vitiate the Contract. The employer may order to plant one species instead of another species (mentioned in specification), wherever necessary, the contractor will be bound to do such work(s) on same schedule rates. If the employer feels that the whole or part of works of any item of estimate is to be done departmentally, or nature of work is changed such conditions shall be acceptable for the contractor. The rates of items not included in the Schedule or Quantities shall be settled by the Employer in accordance with the following rules:

(a)For the rates for the additional, altered or substituted work for items mentioned in the tender, the tender at quoted rates will be applicable.

(b) For the rates for the additional, altered or substituted work for items not mentioned in the tender, the Contractor shall, within 7days of the date of receipt of the order to carry out the work, inform the Employer of the rates which it is his intention to charge for such class of work, supported by required documents, vouchers etc. and analysis of rates claimed and the Employer shall determine the rates on the basis of the prevalent market rates and certify for the payment accordingly. The analysis shall be prepared on the basis of actual cost of materials and labour plus 10 (ten) per-cent to cover overhead supervision and profit etc. However the Employer, by notice in writing, will be at liberty to cancel their order to carry out such work and arrange to carry out as they may consider advisable. But under no circumstances, the Contractor shall suspend the work on the plea of non-settlement of the rates of item falling under this clause.

(c) Where extra work cannot be properly measured or valued, the Contractor shall be allowed day work price as the net rates stated in the Tender or the schedule of quantities, if not so stated, then in accordance with local day work rates and wages for the district provided that in either case vouchers specifying the daily time(and if required by the Employer the workman's names) and materials used be delivered for verification to the Employer at or before the end of the work following that in which the work has been executed.

(d) As regards determination of the rates, the decision of the Employer shall be accepted as final. No supplementary items shall be taken up for execution except with prior written approval of the employer. The Employer is not bound to recognize the

cost of materials furnished in vouchers and in case the market value of such materials, found to be lower than the depicted in the vouchers the Employer at their discretion will fix the price of such materials based upon market value. The contractor may be asked to produce original bills and /or Cash Memos in respect of purchases of such materials from market. Bills and Cash Memos in this regard shall not be entertained unless purchases are affected from registered regular merchants engaged in the trade of such items.

5. Deviations:

No deviation from the contract will on any account be allowed unless an order in writing is obtained from the Employer.

6. Site Conditions:

The contractor shall inspect the work site where the work under this contract are to be carried out, and note carefully the area restrictions and obtain for themselves at their own responsibility all the information which may be necessary for the purpose of the successful execution of the contracted work. They must also make themselves conversion with all the local conditions, means of access to the site of work, transport facilities and character of the work, the supply of materials, conditions affecting labour and other matter that may affect their tender. Employer does not undertake any responsibility, to obtain any concessions, permission from the owner of the adjoining plot or from other party in respect of any allowance, access, encroachments etc. whether for the facility of the works or otherwise. No claim therefore will be entertained should be Contractors have failed to comply with this condition. All equipment required to be maintained are to be kept free from damages due to operation connection with the work. The site shall be made available to the Contractors in the present condition. Site organization within this site boundary shall be the responsibility of the Contractors.

7. Persons Tendering shall visit SITE Etc.

Persons tendering shall visit the site and make themselves thoroughly acquainted with the Nature and requirements of the case, facilities of transport, conditions affecting labour and materials and removal of rubbish, cost of carriage freight and other charges and shall allow for in their tenders for any special difficulty in carrying out the work.

8. Contractor to provide everything necessary:

The Contractor shall provide everything necessary (all inclusive and fixed rates for the proper execution of the work according to the intent and meaning of the drawings/maps, schedule of probable items with approximate quantities, specifications taken together whether the same may or may not be particularly shown or described there in provided that the same can reasonably be inferred therefore and if the Contractor finds any discrepancy therein, he will immediately refer the case in writing to the Employer whose decision shall be final and binding on the parties. Figures dimensions shall be followed in; preference to scale. The Employer shall on no account be responsible for the expense incurred by the Contractor for hired ground or water obtained from elsewhere. The quantities given in the schedule of quantities are only indicative being based on preliminary design and are liable to modification in the final design. The schedule of items and quantities include so far as can at present be determined, every materials which the Contractor is likely to be called upon to perform or supply. The rate quoted against individual item will be inclusive of everything necessary to complete the said items of the work within the contemplation of the contract and beyond the unit prices no extra payment will be allowed for individual or contingent work, labour and /or materials inclusive of all taxes and duties whatsoever except for specific items, if any, stipulated in the tender documents. The Contractor shall supply, fix and maintain at his own cost during the execution of any work necessary for alignment watching required not only for the proper execution and protection of the said work, but also for the protection of adjacent trees or plants and the safety of any adjacent roads, houses etc. The Contractor, shall at all times give access to staffs employed by the Employer or any man deployed on the plantation site/adjacent forest areas and to allow such deployed staffs with proper identity for watch & patrolling duty or any other entrusted job.

9. Protective Measures:

The Contractor from the time of being placed in possession of the site must include for watching and protecting the work, the site and surrounding property during their working hour. The Contractor shall indemnify the Employer against any possible damage to the adjoining forest areas, trees, roads, or wild animals during execution of the work.

10. Access:

The Employers/His Authorised Representatives shall at all times have free access to the work site/and or other places where materials are being prepared for the contract and also to any place the materials are lying or from who they are being obtained and the Contractor shall give every facility to the all of them and their representatives necessary for inspection and examination and test of the materials and workmanship. Except the representatives of Public Authorities no person shall be allowed on the

work at any time without the written permission of the Employer. If anywork is to be done at a place other than the site of the work, the Contractor shall obtain the written permission of the Employer for doing so.

11. Quality of Materials & Workmanship:

All the works specified and provided for in the specification or which may be required to be done in order to perform and complete and part thereof shall be executed in the best and most workmanlike manner with materials to the best and approved quality of the respective kinds in accordance with the particulars contained in and implied by the specification and as represented by the drawings/maps or according to such other additional particulars and instructions as may from time to time be given by the Employer during the execution of the work and to their entire satisfaction.

12. Removal of Improper Work:

The Employer shall during the progress of the work have power to order in writing from time to time for the removal of Improper work within such reasonable time as may be specified in the order of any materials or system of planting which in the opinion of the Employer are not in accordance with the specifications or their instructions, and the Contractor shall forthwith carry out such an order. The Employer shall have the power to employ and pay other persons to carry out the same and all expenses consequent thereon or incidental there to as certified by the Employer shall be borne by the Contractor or may be deducted by the Employer from any money due or that may become due to the Contractor. No certificates which may be given by the Employer in these respects shall relieve the Contractor from his liability in respect of unsound work of unskilled workers.

13. Contractor's Employees:

The Contractor shall keep for the full time qualified engineers and skilled supervisors defined in the ITBA and approved by the Employer, assisted with adequate staff constantly on the work, who will be responsible for the carrying out of the work to the true meaning of the specifications and schedule and quantities and instructions and directions given to him by the Employer. Any directions or instructions given to him in writing shall be held to have been to the Contractor officially.

The Employer/Authorized representative will have at all times access to the work site for inspection and examination of the work and materials proposed to be used. Authorised representatives of the Contractor shall have power of Attorney for receiving materials, cheque, signing measurement book etc. Any Supervisor, foreman, labour or other persons employed on the work by the contractor who fails or refuses to perform the work in the manner specified herein shall be discharged immediately and such person shall not again be employed on the work. When required in writing by the Employer the Contractor shall discharge any person(s) who is in their opinion incompetent, disorderly or otherwise unsatisfactory. Such Discharge shall not be the basis of any claim for compensation or damages against the Employer or any of its officers or employees.

The Contractor shall employ local labourers of adjoining forest areas and members of adjoining FPC (Forest Protection Committee) and EDC if they want to carry out planting works in that particular planting site. No labour shall be employed on the work who is below the age of eighteen years and who is not an Indian National. If female labour is engaged the Contractor shall make necessary provision for safeguarding small children and keeping them clear of the site of operations. The Contractor shall at his own expenses provide or arrange for provision of foot-wear for any labour doing the any specific work. Any labourer supplied by the Contractor to be engaged on the work on daily work basis either wholly or partly under the direct order or control of the Employer or their representative shall be deemed to be a person employed by the Contractor. The Contractor shall comply with the provisions of all labour legislation including the requirements of payment of wages Act. 1936, minimum wages Act, 1948 and Workman's Compensation Act the rules framed there under and modifications thereof in respect of men employed by him in carrying out the contract. It shall be the responsibility of the Contractor to see that any subcontract under him, similarly complies with the above requirements. (The Employer shall not however recognize any subcontract or sub-contractor).

The Contractors shall keep the Employer saved, harmless and indemnified against claims if any of the workmen and all costs and expenses as may be incurred by the Employer in connection with any claim that may be made by any workman. The Contractor shall arrange to provide first aid treatment to the labourers engaged on the works. He shall within 24 hours of the occurrence of any accident at or about the site or in connection with execution of the works, report such accident to the Employer and also to the competent authority where such report is required by law.

14. Working Hours:

Each shift shall be at least of eight hours duration and that the work must be completed within the time specified in the tender document. Work shall also be done on Sundays and Holidays with prior permission of the respective authority.

15. Temporary Water Supply:

The Contractor shall make suitable arrangement for supply of water for the work. The Contractor shall have to make their own arrangement for carrying water at the work site.

16. Clearing Away:

All rubbish and superfluous materials either from Contractor's own work or from works of other agencies shall be removed from the plantation site on completion to the satisfaction of the Employer.

17. Contractor Not To Sublet:

The Contractor shall not without the written consent and approval of the Employer assign the agreement or sublet any portion of the work.

18. Agreement:

The successful Tenderer shall have to enter into an agreement with the Employer. Stamp duty and all other costs connected with execution of such agreement shall be borne by the successful Tenderers.

19. Defect Liability Period:

If the contractor or his workmen or servants or authorized representatives shall break, deface, injure, or destroy any part of building, in which they may be working, or any building, road, road-curbs, fence, enclosure, water pipes, cables, drains, electric or telephone posts or wires, trees, grass or grassland or cultivated ground contiguous to the premises, on which the work or any part of it is being executed, or if any damage shall happen to the work from any cause whatsoever or any imperfection become apparent in it at any time whether during its execution or within a period of three months or one year or three years or five years, as the case may be (depending upon the nature of the work as described in the explanation appended hereto) hereinafter referred to as the Defect Liability Period, from the actual date of completion of work as per completion certificate issued by The Divisional Forest Officer, Rupnarayan Division. The contractor shall make the same good at his own expense, or in default, Divisional Forest Officer, Rupnarayan Division. may cause the same to be made good by other workmen and deduct the expense (of which the certificate of Divisional Forest Officer, Rupnarayan Division shall be final and binding on all concerned) from any sums, whether under this contract or otherwise, that may be then, or at any time thereafter become due to the contractor from the West Bengal Forest Directorate. or from his security deposit, either full, or of a sufficient portion thereof and if the cost, in the opinion of Divisional Forest Officer, Rupnarayan Division (which opinion shall be final and conclusive against the contractor), of making such damage or imperfection good shall exceed the amount of such security deposit and/or such sums, it shall be lawful for the West Bengal Forest Directorate to recover the excess cost from the contractor in accordance with the procedure prescribed by any law for the time being in force.

19. Materials:

The selected Contractor must arrange to procure all materials required for the proper completion of the work. The Employer will not on any account be responsible for procuring the same. The non-availability of the above materials shall not in any way be considered to be an excuse for the extension of time.

21. Method of Measurement:

Unless otherwise mentioned in the schedule of quantities the measurement will be net quantities of the work produced in accordance with the up-to-date rules laid down by the Indian Standard Institution. In the event of any disputes with regard to the measurement of work executed the decision of the Employer shall be final and binding.

22. Earnest Money & Security Deposit:

a) Earnest Money payment:

- i. Net banking (any of the banks listed in the ICICI Bank Payment gateway) in case of payment through ICICI Bank Payment gateway.
- ii. RTGS/NEFT in case of offline payment through bank accounts in any bank.
- b) Exemption of any kind for any of the eligible bidder towards cost of EMD will be according to
 - i. 4245-F(Y) dated 28th May 2013 issued by Finance Department, Audit Branch, Government of West Bengal.
 - ii. 6718-F(Y) dated 08/09/2015 issued by Finance Department, Audit Branch, Government of West Bengal.

c) <u>Refund of EMD</u>: The EMD of the unsuccessful Tenderer will be refunded as per notification issued by Finance Department, Government of West Bengal, Memo no. 3975-F(Y) dated 28/07/2016.

Security Deposit While making any payment to the contractor whose tender has been accepted for work done under the contract, the authority making payment shall deduct such sum which together with the Earnest Money already deposited and converted into security deposit, shall amount to 3% of the value of works executed at the material point of time and paid during the progressive running accounts bills, so that total deduction together with Earnest Money constitute 3% of the tendered value

of work actually done (Vide memo No. 796-F(Y) Date: 25th February, 2021, Finance Department, Audit Branch, Government of West Bengal).

In case of excess/and supplementary work over the tendered amount, additional security @ of 10% of such additional amount is to be deposited for all such excess/ and supplementary works beyond the tendered amount before payment of final bill. Compensation of all other sums of money payable by the contractor to the Government under the terms of the contract may be deducted from the security deposit.

However, even though the earnest money deposited exceeds the prescribed percentage, due to reduction of tendered amount due to any reason whatsoever, such additional earnest money shall be deemed to have been converted into security and further deductions from progressive bills shall be made, taking into consideration the enhanced component of earnest money so converted into security.

Additional Performance Security @ 10% of the tendered amount in the form of Bank Guarantee from a Scheduled Bank, valid up to the date of completion of work, shall be obtained from the successful bidder, if the accepted bid value is 80% or less than the estimated amount put to tender.

If the bidder fails to submit Additional Performance Security within 7 (seven) working days from the date of LoA or the time period as approved by the Tender inviting Authority, his Earnest Money will be forfeited.

If the bidder fails to complete the works successfully, the Additional Performance Security along with Security Deposit lying with the. shall be forfeited at any time during the pendency of contract period as per relevant Clauses of the Contract. Necessary provisions regarding deductions of Security Deposit from the progressive bills of the Contractor as per relevant clauses of the contract will in no way be affected/ altered by this Additional Performance Security.

23. Final Payment:

Payment may be made by the undersigned in part of the running bill or at the end of the work as single bill depending upon the quantity and quality of the completion of works. Final Payment will be subject to availability of fund, administrative approval and financial sanction from the competent authority.

25. Substitution:

Should the Contractor desire to substitute any materials and workmanship, he must obtain the approval of the Employer, in writing for any such substitution well in advance. Materials designated in this specification indefinitely by such terms and 'Equal' or other Approved etc. shall be considered as coming under the provisions of this clause as substitutions and no such materials shall be used until specific approved by the Employer has been obtained in writing.

26. Commencement and Completion of Work:

The time allowed for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the order to commence work is given to the contractor. The work shall throughout the stipulated period of the contract be proceeded with all due diligence. Time being deemed to be the essence of the contract on the part of the contractor, the contractor shall be bound in all cases, to achieve the 'Milestones' as defined and specified in the NIT into various 'Identifiable and quantifiable work related stages' pertaining to the work. In the event of the contractor failing to comply with any of the conditions related to achieving the 'Milestones' within the specified time period prescribed for such 'Milestone', he/she shall be liable to pay compensation.

If the contractor fails to commence and/or maintain required progress viz. Milestones defined in the Notice Inviting Tender over the total time allotted for its full completion and in terms of NIT or fails to complete the work and clear the site on or before the end of contract period or extended date of completion, he/she shall, without prejudice to any other right or remedy available under the law on account of such breach, pay as agreed compensation to the implementing Department. This will also apply to items or group of items for which a separate period of completion has been specified.

Provided always, that the total amount of compensation for delay, to be paid under this clause shall not exceed 10% of the tendered value of work or the tendered value of the item or group of items of the work, for which a separate period of completion is originally given. The amount of compensation may be adjusted or set-off against any sum payable to the contractor under this contract, if the contractor catches up with the progress of work subsequently, part or full of the desired progress as per the contract in accordance with the decision of the Tender Accepting Authority, under powers delegated by Government to be communicated by the Employer, the withheld amount shall be released. However, no interest, whatsoever, shall be payable on such withheld amount.

The rates quoted by the Contractor shall be firm throughout the tenure of the contract (including extension of time, if any granted) and will not be subject to any fluctuation due to increase in cost of materials, labour, sales tax, Octroi etc.

28. Damage to Persons and Property/Insurance in respect of:

The Contractor shall be responsible for all injury to persons/labourers, animals or things, and for all damage to the plantation/or adjacent forest property which may arise from the operations or neglect of himself or of any sub-contractor or of any of his sub-contractor's employees, whether such injury or damage arises from carelessness, accident or any other cause whatever in any way connected with the carrying out of his contract. This causes shall be held to include, internals, any damage to plantation, whether immediately adjacent or otherwise and any damage to roads, footpaths, bridges or ways forming the subject of this contract by frost, rain, wind or other inclemency of the weather.

The contractor shall indemnify the employer and held them harmless in respect of all and any expenses arising from any such injury or damage to persons or property as aforesaid and also in respect of any claim made in respect of injury or damage under any acts of Government or otherwise and also in respect of any award or compensation or the Contractor shall restore and repair all damage of every sort mentioned in this clause so as to deliver up to the whole of contract works complete and perfect in every respect so as to make good or otherwise satisfy all claims for damage to the property of the third parties. The contractor shall indemnify the Employer against all claims which may made against the Employer by any member of the public or other third party in respect of anything which may arise in respect of the works or in consequence thereof and shall at his own expense arrange to effect and maintain, until the completion of the contractor with any approved Insurance Company, a policy of insurance in the joint policy or policies with the Employer from time to time during the currency of this contract, and shall duly and punctually pay the premium payable thereof and if so required produce receipts for such payments, for the inspection of the Employer. The Contractor shall also indemnify the Employer against all claims which may be made upon the Employer, whether under the workman's Compensation Act or any other Stature in force during the currency of this contract or common law in respect of any injury to any of the contractor's or /and sub-contractor workmen or labour and shall at his own expense effect and maintain until the completion of the contract, with the approved Insurance Company a policy of Insurance in the joint names of the Employer and the Contractor against sub-risks and deposit such policy or policies with the Employer from time to time during the currency of this contract. The Contractor shall be responsible for anything which may be excluded from the Insurance Policies above referred to and also for all other damage to any property arising out of an incidental to the negligent or defective carrying out of this contract. The Contractor shall also indemnify the Employer in respect of any costs, charges or expenses arising out of any claims or proceeding and also in respect of any award of compensation of damages arising therefore the Employer shall be at liberty and have the power to deduct the amount of any damages, compensation costs, charges and expenses arising or to become due or to become due to the Contractor. The Contractor shall on signing the contract, issue the works and keep them insured (the works and keep them insured) until the Completion of the contract against loss or damage by the fire and /or earthquake with any approved Insurance Company in the joint name of the Employer and the Contractor for the full amount of the contract and for any further sum if called upon to be so by the Employer the premium of such further sum being allowed to the Contractor as an authorized extra. Such policy shall cover the property of the Contractor or of any sub-contractor or Employees. The Contractor shall deposit the policy and receipts for the premium with the Employer within 21 days from the date of signing the contract unless otherwise instructed by the Employer. In default of the Contractor insuring as provide above, the Employer on his behalf may so insure and may deduct the premium paid from any money due or which may become due to the Contractor. The Contractor shall as soon as the claim under the policy is settled or the work reinstated by the Insurance Company should they elect to do so, proceed with all due diligence with the completion of the work in the same manner as through the fire had not occurred and in all respect under the same conditions of contract. The contract shall in case of rebuilding or reinstatement after fire shall be entitled to such extension of time for completion as the Employer may deem fit.

29. Termination of Contract by Employer:

If the contractor (being an individual or a firm) commit any act of insolvency or shall be adjusted as an insolvent or shall make an assignment or composition of the greater part in number or amount of his creditors or shall enter into a deed of assignment with his creditors, or (being incorporated company), shall have an order made against him or pass an affective resolution for winding up either compulsorily or subject to the supervision of the court or voluntarily, or if the official assignee of the contractor shall repudiate the contract, or if the official assignee or the liquidator in any such winding up shall be unable within 7 (Seven) days after notice to him requiring him to do so, to show to the responsible satisfaction of the employer that he is able to carry out and fulfil the contract and if required by the employer to give security or if the contractor (whether in individual form or incorporated company) shall suffer any payment under this contract to be attached by or on behalf of any of the creditors of the contractor or if the contractors shall assign or sublet the contract without the consent in writing of the employer first obtained if the contractor shall change or encumber this contract or any payment due to which may become due to the contractor their under or if the employer shall certify in writing of that in his opinion the contractor :

- a) has abandoned the contract, or
- b) has failed to commence the work, or has without any lawful excuse under these conditions suspended the progress of the work for 14 days after receiving from the Employer written notice to proceed, or
- c) has failed to proceed with the work such due diligence and failed to make such due progress as would enable the work to be completed within the time agreed upon, after receiving from Employer to employ more men, or,
- d) has failed to remove materials from site or to pull down and retained work within 7 days after receiving from the Employer as written notice that the said materials or work were condemned or rejected by the Employer under those conditions, or,
- e) has neglected or failed persistently to observe and perform all or any of the acts, matter or things by this contract to be observed and performed by the Contractor for 7 days after written notice shall have been given to the contract requiring the Contractor to observe or perform the same, or
- f) has to the detriment of good workmanship or define of the Employers instruction to the contrary sub-let any part of the contract.

Then and in any of the said causes the employer not withstanding any previous order after giving 7 (Seven) days notice in writing to the contractors, determine the contract, but without thereby affecting the powers of the employer of the obligations and liabilities of the contractor, the whole of which shall continue to be in force as fully as if the contractor has not been so determine and as if the works subsequently executed has been executed by or on behalf of the contractor and further the employer, his agents or representative may enter upon and take possession of the works and all plants, tools, shades, machinery and other power tools, utensils and materials, lying upon the premises or the adjoining land or roads and use the same as his own property or may employee the by means of his own representative and workman in carrying on and completing the work or by employing any other contractors or other persons or person to complete the work, and the contractor shall not in any way interrupt, or do any matter or thing to prevent or hinder such other contractor or other person or persons employed for completing and finishing or using the materials and plant for the work when the works shall be completed or as soon thereafter as convenient, the employer shall give a notice in writing to the contractor to remove his surplus materials and plant and should the contractor failed to do so within a period of 14 (Fourteen) days after receipt thereof by him the employer may sell the same by public auction and shall give credit to the contractor or for the amount so realised.

The employer shall thereafter ascertain and certify in writing under his hand that (if anything) shall be due or payable to or by the employer, for the value of the said plant and materials so taken possession of by the employer and the expense or loss which the employer shall have been put to in getting the work to be so completed and amount if any owing to the contractor and the amount which shall be certified shall there upon be paid by the employer as the case may be and the certificate shall there upon be paid by the employer shall be final and conclusive between the parties.

30. Settlement of Dispute, Arbitration:

Except where otherwise provided in the Contract, all questions and disputes relating to the meaning of the specifications, designs, drawings and instruction herein before mentioned and as to the quality of workmanship or materials used on the work, or as to any other question, claim, rights, matter, or things whatsoever, in any way arising out of or relating to the contract, design, drawings, specifications estimates, instructions, orders or these conditions or otherwise concerning the works or the execution or failure or execute the same, whether arising during the progress of the work or after the completion or abandonment thereof shall be referred to the sole arbitration of the Chief Conservator of Forests, Western Circle., be for any reason unwilling or unable to act as such arbitrator, such questions and disputes shall be referred to an arbitrator to be appointed by the DEPARTMENT OF FORESTS, GOVT OF WEST BENGAL. The award of the arbitrator shall be final, conclusive and binding both parties to this contract and no suit shall lie in Civil Court in respect of the award by the Arbitrator.

Sd/- Manish Kumar Yadav Divisional Forest Officer, Rupnarayan Division.

Special Terms & Conditions

1. All works are to be carried out as per plan, specification and estimate of works subject to modification made in writing by the undersigned or his authorized officer, The technical supervisor as engaged by the contractor to check work as per plan, specification and estimate of works & work measurement to be recorded time to time by the technical supervisor in his own record and that will be cross verified by specified WMNB maintained by the concerned Beat Officer and duly signed by the Range Officer under whose jurisdiction the Jaltirtha project is being executed.

- 2. While engaging the labourers, JFMC members may be given preference when they are willing to do the work. Payments to the labourers to be made as per the Minimum Wages Act, 1948.
- 3. In case of implementation of the works at field, the decision of the Range Officers or his authorized persons or any of his superior officers shall be final and binding on the successful bidders implementing the works at field.
- 4. All works have to be finished within given period without fail. No extension of time will be allowed for execution of the work. But the tenderer shall not be held responsible if the delay in execution occurs due to causes beyond his/her control, such as acts of God like natural calamities, civil wars, fire strike, frost, floods, riot and acts of unsurpassed power. In the event of delay due to such causes, the tenderer may apply for extension of time for that period. The undersigned, as per direction received from the Chief Conservator of Forest, Western Circle, in this regard, may extend for a length of time equal to the period of force majeure or such period as he thinks suitable for that or may reject the application. Such cancellation would be without any liability whatsoever on the part of the undersigned.

Sd/- Manish Kumar Yadav Divisional Forest Officer, Rupnarayan Division.

5ă Na	B	escription of I		.,	andra	tot m	M MEDINI	T	1	Rate	T
	1							Qui.	Unit	(Rs.)	Amount (Rs.)
1	bushes, trees, plants, upto 30 c Engineer-in-charge.	Dutting uprooting and clearing jungles including shrubs, water weeds, sushes, trees, plants, upto 30 cm. Girth including removing as directed by invincer-in-charce									
	Page-C-,item-	1.23 of 1 &	WD US	SoR	2018			1			
	1 1	130.00 x	\$0.00			1040	0.00	10400.00	Sigm	3.00	52,000,00
2	Excavation in ordinary soil / kankar, pebbles / silt dry or mo RESERVOIR / SFMIS etc w capacity including cutting and 1 slopes in accordance with requi transporting to embankment/ di m including spreading, levelin measurement : pre work and pos	ist / slushy s ith hydrauli loading in ti rement of lin sposal site w ig disposed s	ilt / sti c exca ppers, t nes, gra athin a	cky s vator trimi ides 41 tif	oil fo r of ming and c	requi botto ross :	DS / WHS / red bucket in and side section and				
		160.00 x	80.0	T	2.00	T-T	25600,00				
	Total excavated earthwork	140.00 x	70.0	1	2.00		19600,00		1 1		
		120.00 x	50.0	1	1.50	++	9000,00		1 1		1
	Tot						54200,00		1 1		1
	For embankment 200.00 x	(2.00 + 7.	00)/2	*	2.50		2250 cum		1 1		1
	(lt.no. 1 /page -	112 / WRD	D/Ch	apter	-11)			En la	1 1		
	20.00 % of excavated Excavation in gravel / moorun	cartwork	Constant of the second			TT	10840.00	10840.00	Cum	60.35	06,54,194.00
	weathered rock / sticky soil m WHS / RESERVOIR / SFMIS bucket capacity including cuttin and side slopes in accordance section and transporting to eml	i etc with I ig and loadi with require	nydraul ng in i ment o	lic c	xcava	tor o	f required				
	area. (mode of measurement : p (<i>ft.no. 2 /page</i> 50.00 % of excavated)	re work and - 112 / WRDD cartwork	lisposal liing di post we / Chapt	site ispos ork)	with ed sp	rades bin al boils a	and cross I lifts and it disposed	27100.00	Cum	69.75	018.91.038.00
	teat upto 1500 m including spr area. (mode of measurement : p (<i>R.no. 2 spage</i> 50,00 % of excavated i Excavation in soft weather WHS/RESERVOIR / SFMIS etc capacity including cutting and h slopes in accordance with requir transporting to embankment/ dis m including spreading, levelling measurement : pre work and pos	ading , leve re work and -112/WRDD cartwork rock / sol with hydrau bading in tip ading in tip ement of lin posal site wi (disposed sp t work)	lisposal liing di post we / Chapi t later alic exc opers, to es, grad ithin al poils at	l site ispos ork) ar-11, rite avati rinn des a 1 life disp	rocks or of ting to s and cosed	rades bin al poils a 	and cross I lifts and it disposed 27106,00 WDS // red bucket n and side ection and umo 1500	27309.50	Cum	69.75	018,91,038.00
and the second particular se	teau opto 1500 m including spr area. (mode of measurement : p (<i>Rino 3 page</i> 50,00 % of excavated Excavation in soft weather WHS/RESERVOIR / SFMIS etc capacity including cutting and is slopes in accordance with requir transporting to embankment/ dis m including spreading, leveling measurement : pre work and pos (<i>Rino 3 page</i> 30,00 % of excavated	ading , leve re work and - 112 / WRDD cartwork / sol with hydrau bading in tip ement of lin posal site wit t disposed sg t work) - 112 / WRDD cartwork	lisposal liing di post we //Chaptor t later alic exce opers, to es, graa ithin al poils at //Chaptor	site ispos ork) er-11, rite avati rinun des a 1 lifu disp	vill ed sp rocks or of ning t ind cr s and xosed	rades bin al coils a - 1 s for requi botton ross s lead area	and cross I lifts and it disposed 27100,00 WDS / red bucket n and side cettion and upto 1500 (mode of				018,91,038.00
the second se	teau opto 1500 m including sprearea. (mode of measurement : p (<i>It.no. 2 opuge</i> 50.00 % of excavated i Excavation in soft weather WHS/RESERVOIR / SFMIS etc capacity including cutting and to slopes in accordance with requir transporting to embankment/ dis m including spreading, leveling measurement : pre work and pos (<i>It.no. 3 opuge</i> 30.00 % of excavated of Extra rate where land is to be an 4 for disposal of spoils.	ading, leve re-work and -112/WRDD eartwork rock / sol with bydrau ading in tip ement of lin posal site wi t disposed sp t work) -112/WRDD eartwork ranged by th	lisposal liing di post we // Chapt t later dic exc opers, to es, gras ithin al poils at // Chapt e contra	l site ispos ork) er-11, rite cavato rinnn des a 1 lift- des a 1 lift- des a 2 lift- des a 2 lift- des a	rocks or of ting t and criss and cosed	rades bin al coils a - 1 s for requi botton ross s lead area	and cross I lifts and it disposed 27100,00 WDS / red bucket n and side cettion and upto 1500 (mode of	27109.00	Cum	69.75 \$2.93	
and the second se	teau opto 1500 m including spr area. (mode of measurement : p (<i>Rino 3 ipage</i> 50,00 % of excavated Excavation in soft weather WHS/RESERVOIR / SFMIS etc capacity including cutting and le slopes in accordance with requir transporting to embankment/ dis m including spreading, levelling measurement : pre work and pos (<i>Rino 3 ipage</i> 30,00 % of excavated of Extra rate where land is to be an	ading, leve re-work and -112/WRDD eartwork rock / sol with bydrau ading in tip ement of lin posal site wi t disposed sp t work) -112/WRDD eartwork ranged by th	lisposal liing di post we // Chapt t later dic exc opers, to es, gras ithin al poils at // Chapt e contra	l site ispos ork) er-11, rite cavato rinnn des a 1 lift- des a 1 lift- des a 2 lift- des a 2 lift- des a	rocks or of ting t and criss and cosed	rades bin al poils a s for requi s for requi botton ross s lead area	and cross I lifts and ut disposed 27100.00 WDS / red bucket n and side ection and upto 1500 (mode of 16260.00 no 2, 3 &				
	teau opto 1500 m including sprearea. (mode of measurement : p (<i>It.mo. 2 opage</i> 50.00 % of excavated i Excavation in soft weather WHS/RESERVOIR / SFMIS etc capacity including cutting and to slopes in accordance with requir transporting to embankment/ dis m including spreading, leveling measurement : pre work and pos (<i>It.mo. 3 opage</i> 30.00 % of excavated of Extra rate where land is to be an 4 for disposal of spoils. (<i>It.mo. 3 opage</i> Earth work in excavation of four (including mixed soil but ex removing, spreading or stacking The item includes necessary to dressing and ranuming the bottom	ading , leve re work and - 112 / WRDD cartwork rock / sol with bydra ading in tip ement of lin posal site wi t disposed sg t work) - 112 / WRDD cartwork ranged by th - 112 / WRDD dation frene cluding lat the spoils wi rimming the b abiling out	lisposal liing di post we / Chapt t later liie exec liie exec to sgrass / Chapt liie exec thin al poils at / Chapt liie exec e contr / Chapt liie exec exec e contr / Chapt li	l site ispos ork) er-11, er-11, des a at lift disp er-11) drain drain or sa lead e of	with ed sp rocks or of ining t ining t s and cosed , is, in indsto of 75	rades hin al ooils a lead area lead area lead area lead area lead area botton botton area area lead area lead area lead area lead botton botton area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area area area area area area area a	and cross I lifts and II disposed 27100,00 WDS / red bucket n and side cetion and upto 1500 (mode of 16260,00 no 2, 3 & 1950 cum sits of soil including including incutting				
Construction of the second state of the	teau opto 1500 m including sprearea. (mode of measurement : p (<i>lt.mo. 2 ipage</i> 50.00 % of excavated i Excavation in soft weather WHS/RESERVOIR / SFMIS etc capacity including cutting and to slopes in accordance with requir transporting to embankment/ dis m including spreading. leveling measurement : pre work and pos (<i>lt.mo. 3 ipage</i> 30.00 % of excavated of Extra rate where land is to be an 4 for disposal of spoils. (<i>lt.mo. 3 ipage</i> Earth work in excavation of foun (including mixed soil but ex removing, spreading or stacking The item includes necessary is dressing and ramming the bottom (a) Depth of excavation not excess	ading , leve re work and - 112 / WRDD cartwork rock / sol with bydra ading in tip ement of lin posal site wi t disposed sg t work) - 112 / WRDD cartwork ranged by th - 112 / WRDD dation trene cluding lat the spoils wi rimming the s bailing out	lisposal ling di post w post w //Chapt li fatere licexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexeex	I site ispos ork) er-11, rite avatu rinum des a 11 liftu er-11) actor er-11, disp er-11, actor er-11, actor si si lead s of si sie	with ed sp rocks or of ind c s and cosod i oosod i oosod i oosod i oosod i oosod i oosod i oosod i oosod i oosod i oo i of i s and cosod i oo i o i o i o i o i o i o i o i o	rades hin al ooils a lead area lead area lead area lead area lead area botton botton area area lead area lead area lead area lead botton botton area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area area area area area area area a	and cross I lifts and II disposed 27100,00 WDS / red bucket n and side cetion and upto 1500 (mode of 16260,00 no 2, 3 & 1950 cum sits of soil including including incutting	16362.00	Cum	82.93	013,49,254.80
and the second	teau opto 1500 m including spr area. (mode of measurement : p (<i>Revo.</i> 2 /page 50,00 % of excavated i Excavation in soft weather WHS/RESERVOIR / SFMIS etc capacity including cutting and k slopes in accordance with requir transporting to embankment/ dis m including spreading, leveling measurement : pre work and poss (<i>Revo.</i> 3 /page 30,00 % of excavated of Extra rate where land is to be and 4 for disposal of spoils. (<i>Rev.</i> 5 /page Earth work in excavation of foun (including mixed soil but ex- removing, spreading or stacking The item includes necessary to dressing and ramming the bottom (a) Depth of excavation not excee (<i>Revo.</i> 2 (A)/P.	ading , leve re work and - 112 / WRDD cartwork rock / sol with bydra ading in tip ement of lin posal site wi t disposed sg t work) - 112 / WRDD cartwork ranged by th - 112 / WRDD dation trene cluding lat the spoils wi rimming the s bailing out	lisposal ling di post w post w //Chapt li fatere licexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexee alicexeex	I site ispos ork) er-11, rite avatu rinum des a 11 liftu er-11) actor er-11, disp er-11, actor er-11, actor si si lead s of si sie	with ed sp rocks or of ind c s and cosod i oosod i oosod i oosod i oosod i oosod i oosod i oosod i oosod i oosod i oo i of i s and cosod i oo i o i o i o i o i o i o i o i o	rades hin al ooils a lead area lead area lead area lead area lead area botton botton area area lead area lead area lead area lead botton botton area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area area area area area area area a	and cross I lifts and II disposed 27100,00 WDS / red bucket n and side cetion and upto 1500 (mode of 16260,00 no 2, 3 & 1950 cum sits of soil including including incutting	16362.00	Cum	82.93	013,49,254.80
and the second	teau opto 1500 m including spr area. (mode of measurement : p (<i>It.no. 2 ipage</i> 50,00 % of excavated i Excavation in soft weather WHS/RESERVOIR / SFMIS etc capacity including cutting and hi slopes in accordance with requir transporting to embankment/ dis m including spreading. leveling measurement : pre work and poss (<i>It.no. 3 ipage</i>) 50,00 % of excavated of Extra rate where land is to be and 4 for disposal of spoils. (<i>It.no. 5 ipage</i>) Earth work in excavation of foun (including mixed soil but ex- removing, spreading or stacking) The item includes necessary to dressing and ranuming the bottom (a) Depth of excavation not excev (<i>It.no. 2 (A)</i>) PIPE SPILLWAY	ading , leve re work and -112/WRDD cartwork rock / sol with hydra adding in tip ement of lin posal site wit disposed sp t disposed sp t disposed sp t work) -112/WRDD cartwork ranged by th -112/WRDD dation trene cluding latu dation trene cluding latu disposed sp the spoils wi rimming the s, bailing our ding 1,300 r age - 1 / PW	lisposal liing di post w //Chapio //Chapio es, gras- liine al acoils at //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //Chapio //C	I site ispos ork) e-11 rite avati des a I lift disp e-11) actor e-11) drain or sa lead i s of as re lead	with ed sp rocks or of hing t nud cr s and posed r on it mdst of 75 trenk cquire	rades hin al ooils a lead area lead area lead area lead area lead area botton botton area area lead area lead area lead area lead botton botton area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area lead area area area area area area area a	and cross 1 lifts and it disposed 27100.00 WDS / red bucket n and side ection and upto 1500 (mode of 16260.00 no 2, 3 & 1950 cum pris of soil including s directed. levelling. upte.	16362.00	Cum	82.93	013,49,254.80
and a second	teau opto 1500 m including spr area. (mode of measurement : p (<i>R.no. 2 ipage</i> 50,00 % of excavated i Excavation in soft weather WHS/RESERVOIR / SFMIS etc capacity including cutting and k slopes in accordance with requir transporting to embankment/ dis m including spreading. leveling measurement : pre work and poss (<i>R.no. 3 ipage</i> 30,00 % of excavated of Extra rate where land is to be and 4 for disposal of spoils. (<i>R.no. 3 ipage</i> 30,00 % of excavated of Extra rate where land is to be and 4 for disposal of spoils. (<i>R.no. 3 ipage</i> Earth work in excavation of foun (including mixed soil but ex- removing, spreading or stacking The item includes necessary in dressing and ranuming the bottom (a) Depth of excavation not excev (<i>R.no. 2 (A)/P</i> A) PIPE SPILLWAY	ading , leve re work and -112/WRDD cartwork rock / sol with hydra adding in tip ement of lin posal site wit disposed sp t disposed sp t disposed sp t work) -112/WRDD cartwork ranged by th -112/WRDD dation trene cluding latu dation trene cluding latu disposed sp the spoils wi rimming the s, bailing our ding 1,300 r age - 1 / PW	lisposal liling di post w //Chaple lic exc opers, to cs, grand //Chaple e contra //Chaple de contra //Chaple e contra //Chaple de sides water mm. D Built 2.55 []	I site ispos ork) e-11 rite avath des a I lift disp e-11) actor e-11) drain or sa lead i as re I ding	with ed sp rocks or of ining t und cr s and cosed , inindsta of 75 trenc cquire ()	rades hin al ooils a leist s for requi- botton bottos area. 	and cross 1 lifts and 1 disposed 27100,00 WDS / red bucket n and side action and upto 1500 (mode of 16260,00 no 2 , 3 & 1950 com sts of soil including s directed. lovelling. nplete. 5.74	16362.00	Cum	82.93	013,49,254.80
	Icad uple 1500 m including spreares. (mode of measurement : p (R.no. 2 /page 50,00 % of excavated i Excavation in soft weather WHS/RESERVOIR / SFMIS etc capacity including cutting and ki slopes in accordance with requir transporting to embankment/ dis mincluding spreading. leveling measurement : pre work and poss (R.no. 3 /page 30,00 % of excavated i Extra rate where land is to be and 4 for disposal of spoils. (including mixed soil but excements; preading or stacking includes necessary to (including and ranning the bottom (a) DPiph of excavation not excee (It.no. 2 (A)/P Abutment 1 × 1 ×	ading , leve re work and - 112 / WRDD cartwork rock / sol with bydra ading in tip ement of lin posal site wi t disposed sg t work) - 112 / WRDD cartwork ranged by th - 112 / WRDD dation trene cluding lat the spoils wi rimming the s, bailing out ding 1,300 r age - 1 / PW	lisposal liting di post w //Chapter liting di liting di liting di litesco opers, U es, gravitations e contra- litinina li e sides or u e sides or u e sides i water um. D Buil	I site ispos sock) er-11, rite avait des a 1 lift des a lift des a 1 lift des a 1 lift des a	with ed sp rocks or of hing t nud cr s and posed r on it mdst of 75 trenk cquire	rades hin al ooils a leist s for requi- botton bottos area. 	and cross 1 lifts and it disposed 27100.00 WDS / red bucket n and side ection and upto 1500 (mode of 16260.00 no 2, 3 & 1950 cum pris of soil including s directed. levelling. upte.	16362.00	Cum	82.93	013,49,254.80
	Idea opto 1500 m including spreares. (mode of measurement : p (It.no. 2 /page 50.00 % of excavated i Excavation in soft weather WHS/RESERVOIR / SFMIS etc capacity including cutting and its slopes in accordance with requir transporting to embankment/ dis mincluding spreading. leveling measurement : pre work and pos (It.no. 3 /page 30.00 % of excavated of Extra rate where land is to be and 4 for disposal of spoils. (It.no. 3 /page Earth work in excavation of foun (including mixed soil but expremoving, spreading or stacking The item includes necessary is dressing and ranuming the bottom (a) Depth of excavation not excees (A) PIPE SPILLWAY Pipe Bed 1 × 1 × (A) St bed 1 × 1 ×	ading , leve re work and - 112 / WRDD cartwork rock / sol with bydra ading in tip ement of lin posal site wi tidisposed sg twork) - 112 / WRDD cartwork ranged by the - 112 / WRDD dation trene cluding lat- the spoils wi rimming the s, bailing out ding 1,500 r 2.55 x 1.00 x 2.55 x	lisposal liling di post w //Chaple liling di liling di l	I site ispos ork) er-11, rite avait des a 1 lift des a 1 lift des a 1 lift des a 1 lift des a s te er-11) drait lead t as te lead t x t to x to x	with ed sp rocks or of ining t and co s and cosod ron in inindst of 75 trend squire 1) 1.30 1.80	rades hin al ooils a leist s for requi- botton bottos area. 	and cross I lifts and II disposed 27100.00 WDS / red bucket n and side cection and upto 1500 (mode of 16260.00 no 2, 3 & 1950 cum strist of soil including s directed. levelling. uplete. 5.74 3.67	16362.00	Cum	82.93	013,49,254.80
	Icad uple 1500 m including spreares. (mode of measurement : p (R.no. 2 /page 50.00 % of excavated i Excavation in soft weather WHS/RESERVOIR / SFMIS etc capacity including cutting and its slopes in accordance with requir transporting to embankment/ dis mincluding spreading. levelling mincluding spreading. levelling mincluding spreading. levelling mincluding spreading. levelling Mono % of excavated of Extra rate where land is to be and 4 for disposal of spoils. (It no. 5 /page) Earth work in excavation of four (including mixed soil but esc (a) Depth of excavation not excees (It no. 2 (A)/P A) PIPE SPILLWAY (Pipe Bed 1 x (X) S bed 1 x x (X) S bed 1 x 1 x	ading , leve re work and -112 / WRDD cartwork rock / sol with hydra ading in tip ement of lin posal site wi tidisposed sy twork) -112 / WRDD -112 / WRDD -112 / WRDD -112 / WRDD -112 / WRDD -112 / WRDD dation frenc cluding lat the spoils wi rimming th sbailing out dation frenc cluding lat the spoils wi rimming th sbailing out dation frenc cluding lat the spoils wi rimming th 2.55 x 1.00 x	lisposal liling di post w //Chaptory licescopers, U escopers, U es	I site ispos ork) rriteavaitirinndes a1 liftdisp $r-11actorr-11dispr-11actorr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11disp r-11disp r-11d$	with ed sp rocks or of t ning t s and sosod r on it of ron it ron it ron it ron it ron it ron it ron it ron it rocks s and sosod rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rock rocks rocks rocks rocks rocks rock	rades hin al ooils a leist s for requi- botton bottos area. 	and cross 1 lifts and 1 disposed 27100.00 WDS / red bucket n and side ection and upfo 1500 (mode of 16260.00 no 2, 3 & 1950 cum orts of soil including s directed. levelling. uplete. 5.74 3.67 0.64	16362.00	Cum	82.93	13,49,254.80
	Icaa opto 1500 m including sprarea. (mode of measurement : p (R.no. 2 /page 50,00 % of excavated i Excavation in soft weather WHS/RESERVOIR / SEMIS etc. capacity including cutting and kest slopes in accordance with requir transporting to embankment/ dis mincluding spreading, leveling measurement : pre work and poss (R.no. 3 /page 30,00 % of excavated of Extra rate where land is to be and 4 for disposal of spoils. Ift no. 5 /page Earth work in excavation of fount (including mixed soil but expremoving, spreading or stacking The item includes necessary to dressing and ranuning the botton (a) Depth of excavation not exceed (It.no. 2 (A)/P A) PIPE SPILLWAY Pipe Bed 1 x (St bed) 1 x x Dist bed 1 x x Dist bed 1 x x actorff, D/S 1 x x	ading , leve re work and - 112 / WRDD cartwork rock / sol with bydra ading in tip ement of lin posal site wi tidisposed sg twork) - 112 / WRDD cartwork ranged by the - 112 / WRDD dation trene cluding lat- the spoils wi rimming the s, bailing out ding 1,500 r 2.55 x 1.00 x 2.55 x	lisposal liling di post w / Chapto / Ch	I site ispos ork) rriteavaitirinndes a1 liftdisp $r-11actorr-11dispr-11actorr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11dispr-11disp r-11disp r-11d$	with ed sp rocks or of ning t rocks and boosed ron il ron il ron il ron il ron il ron il ron il ron il rocks and boosed ron il rocks and boosed ron il rocks and boosed ron il rocks and boosed ron il rocks and boosed ron il rocks and boosed ron il rocks and boosed rocks and boosed rocks and boosed rocks and boosed rocks and boosed rocks and boosed rocks and boosed rocks and boosed rocks and boosed rocks and boosed rocks and boosed rocks and rocks and boosed rocks and boosed rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks and rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks rocks	rades hin al ooils a leist s for requi- botton bottos area. 	and cross 1 lifts and 1 disposed 27100.00 WDS / red bucket n and side ection and upto 1500 (mode of 16260.00 no 2 , 3 & 1950 cum sts of soil including s directed. lovelling. uptes 5 74 3.67 0.64 0.38	16362.00	Cum	82.93	013,49,254.80

DETAILS ESTIMATE

Page 1 of 3

File No. FOR-13011/47/2020-SECTION(FOR)-Dept. of Forest (Computer No. 327685) ceipt No : 1296415/2020/SECTION(FOR)

	Supplying and laying Polythene Sheet (150gm / sq.m.) o course or below flooring or roof terracing or in foundation or							
I	(It.no. 3/Page - 47 / PWD Building)							
	A) PIPE SPULLWAY	-	-	Section of the				
	Pipe Bed 1 X 1 X 7.50 X 2.55	+	-	19.13				
	Children and a second s	+	-	2.55				
	D/S bed I x i x 1.00 x 2.55 Toe wall I x i x 1.00 x 2.55	+	-	75.00				
ł	Total		-	99.74	99.74	Sqm	24.00	2,393.76
1	Hire and labour charges for shuttering with centering and r	iec	essi					
	upto 4 m using approved stout props and thick hard wood pl thickness with required bracing for concrete slabs, bean lintels curved or straight including fitting, fixing and s completion of works (upto roof of ground floor), 25 mm to 3 without staging in foundation	is Ini	and king	columns, out after				
l	(ILan. 36 (GPage - 43 / PWD Building)		100			1 1		
	A) FIFE SPILLWAY					1 1	1.21	
.	Pipe Bed I X 2 X 7.50 X 0.15 I X 2 X 2.55 X 0.15	ł	*	2.25				
	Abutmont 1 X 2 X 2.55 X 0.15	ł	-	0.77		1 1		
1	1 X 2 X 8.60 X 6.15	t	-	0.18			1	
-	Abstancest cutoff 2 X 2 X 2.55 X 1.50	F	14	15.30			1	
	2 X 2 X 0.60 X 1.56 1 X 2 X 0.50 X 0.10	ŀ	-	3.60				
-	I X Z X 0.50 X 0.60 Bul cateff, D/S I X Z X 2.55 X 0.50	t	-	2.55				
	Bed cutoff, side 1 X 4 X 1.00 X 0.50	t	-	2.00		1 1	-	
1	3 X 2 X 9.30 X 0.50	1	-	899.6				
-	1 X 3 X 2.55 X 0.10 Total	+	-	0.77	30.99			13 6 300 05
-	Total Ordinary Cement concrete (mix 1:2:4) with graded stone ch	1	-1	30.99	30.99	Signia	203.00	(3 6,290.97
	nominal size) excluding shuttering and reinforcement, if any as per relevant IS codes. (a) Pakur Variety [As per rate analysis of PWD schedule (Enclosed)]	, îı	n gr	ound floor				
	A) PIPE SPILLWAY	-						(4)
9	Pipe Bed I X I X 7.50 X 2.55 X 0.15 Abstrament I X 2 X 2.55 X 0.60 X 0.10		-	2.87				
	Dr3 bed 1 X 1 X 1.90 X 2.55 X 0.10		-	0.26		1 1		
	Bed cutoff, D/S I X I X 2.55 X 9.30 X 9.50		8	6.38		1 1		
	Bed cutoff, side 1 X 2 X 1.00 X 0.30 X 0.50		-	0.30			14.5	
	Toe wall wearing coat 1 X 1 X 150.00 X 0.50 X 0.07: Total	4	-	5.63 9.75	9.75	Cum	6330.90	0,61,726.28
	Ordinary Cement concrete (mix 1:2:4) with graded ston nominal size) excluding shuttering and reinforcement if any as per relevant IS codes. (a) Pakur Variety	i, i		s (20 mm				
10	As per rate analysis of PWD schedule (Enclosed)		T					
	wall 1 X 2 x 2.55 x 0.60 x 1.50		-	4.59				
	Toe Wall 1 X 1 x 150.00 x 0.50 x 1.50		-	112.50				
	Total		-	117.09	117.09	Cum	6330.90	7,41,285.08
	Plaster (to wall, floor, ceiling etc.) with sand and cement rounding off or chamfering corners as directed and r including throating, nosing and drip course, scaffoldn necessary (Ground floor) [Excluding cost of chipping over c	ak 1g/	ing /stag	out joints ing where				
11	a) Mortar Mix. 1 : 6, (i) 20 mm thick (Item No 1 (i) (b) / Page No 49 / PWD, SOR Vol 1 3rd 4	Cei	rrig	ndam)				
-	A) PIPE SPILLWAY		T					
	Abutinent 1 x 2 x 2.55 x 1.70	1	-	8.67				
	Deduction for 1 x 6 x 0.785 x 0.49			-2.31				
_	Total	_	-	6.36	6.36	Sqm	153.00	00,973.08
12	Neat cement punning about 1.5mm thick using Cement 0, sq.m. in wall,dado,window sill, floor etc.			m per 100				
	(Item No 15 / Page No 192 / PWD, SOR Vo Same as plaster		T	6.36	6.360	Squ	34.00	0.216.24
13	Providing and Laying Reinforced Cement Concrete Pipe NP3 as Row Providing and laying reinforced cement concrete Pipe NP3 w culverts on first class bedding of granular material in single row in cement mortar 1:2 as per Technical Specification Clause 1106 MORD. (D) 600 mm dia	ith 1c1	spig udin	ign in Single ot socket for g fixing with				
	[As per rate analysis of PWD schedule (Enclosed)]	-						

DETAILS ESTIMATE

Page 2 of 3

de

File No. FOR-13011/47/2020-SECTION(FOR)-Dept. of Forest (Computer No. 327685) ceipt No : 1296415/2020/SECTION(FOR)

٠.

٠.

۰.

۰.

Sav				060,27,126.00	
Total					
[Approved rate of S.E.(A-I), Bankura (A-I) Circle]		iii		060,27,125,86	
Construction of a Sign board of size 1.80 m x 1.20 m made masonary (1.4) coment mortar 125 mm thick inside sourrounding mm x 250 mm thick out side, foundation depth 0.60 m, with 15 m plaster(1.6). Lettering should be done with approved Black pa Yellow Background complete as per direction of E-I-C.	with 250	90 L.S.	3500.00	0 3,500.00	
16 (Therateisexclusivenfihecostofstoncaggregateanditscarriageuptosite. tionwinghastoaddthecostofsamefromtheSoRofPWReads)toderivethe atedrate.ConsumptionchartoftheUSoRmaybeusedforassessingthequa arseaggregatesper cum of with Stone Aggregate (Pakur, North Bengal or Rajmahal a) Nominal Mix. 1:2:4 with 20 mm down coarse aggregate b) Nominal Mix. 1:1:5:3 with 20 mm down coarse aggregate is 150.00 [X] 3.00 [X] 0.15 = [67. (ftem no 2.54/page - CT941&WD/Capter -1]	ification, ittering, fi ngandlay (gagapof wablethe of all complete. Construc 67 consolid htityofco concrete), varieties) ggregate 50		6981 53	□4,71,253,28	
Providing weep holes in Brick masonry / Plain / Reinforced butment, wing wall / return wall with 100 mm dia AC pipe, 14 through the full width of the structure with slope of 1V.20H towards dran 0°f 2°57. 8 to 13.03 of PND Road scheduk & 15 to Carrienda 0°f 2°57. 8 to 13.03 of PND Road scheduk & 15 to Carrienda 0°f 2°57. 8 to 13.03 of PND Road scheduk & 15 to Carrienda 0°f 2°57. 8 to 13.03 of PND Road scheduk & 15 to Carrienda 0°f 2°57. Sto 10.03 of PND Road scheduk & 15 to Carrienda 0°f 2°57. Sto 10.05 of PND Road scheduk & 15 to Carrienda 0°f 2°57. Sto 10.05 of PND Road scheduk & 15 to Carrienda 0°f 2°57. Sto 10.05 of PND Road scheduk & 15 to Carrienda 0°f 2°57. Sto 10.05 of PND Road scheduk & 15 to Carrienda 0°f 2°57. Sto 10.05 of PND Road scheduk & 15 to Carrienda 0°f 2°57. Sto 10.05 of PND Road scheduk & 15 to Carrienda 18 widthwidewherenecessary and filling therenchess with carthod scours 19 gradeby Ushape MSstaples (11 gauges jorwood en orplastic pegsata inite 19 mm, providing sidelapping 07100 mmandhorizontal lapping 07300 mma 10 ncomplete. Therateisinclusive of all incidental charges. transportation 10 nstotheworksite, all Laadsand liftscomplete. (Payment will madeon the ba 19 finished surface area of the slope).	extending ving face. 50 Nos 3 Ni 220mm onstopes controlof ostofprep ~ dtosub- rvalof450 sperdirect byallmea sisof	50 No 16.00 Sum	115	□ 5,750.00 □ 311,808.00	

Divisional Poresto Rupnarayan Div Midnapore

TECHNICALLY VETTED Superinten and Engineer Kangsabati Circle-II 1 & W. Dte. Govt. of W.B. Paschim Medinipur TOOL



Page 3 of 3

DETAILS ESTIMATE

File No. FOR-13011/47/2020-SECTION(FOR)-Dept. of Forest (Computer No. 327685) ceipt No : 1296415/2020/SECTION(FOR)

	ANNEXURE "X"						
	GENERAL ABSTRACT OF COST						
SL NO	DESCRIPTION	AMOUNT					
1	COST OF WORK	D 6,027,125.86					
2	GST@ 12 %, AS APPLICABLE ON SL NO 1	D 723.255.10					
3	COST OF ALL WORKS EXCLUDING LABOUR WELFARE CESS	0 6,750,380.96					
4	LABOUR WELFARE CESS @ 1% ON SL NO 3	0 67,503.81					
5	CONTIGENCY CHARGE @ 3% ON SL NO 3	0 202,511.43					
6	COST OF ALL WORKS INCLUDING LABOUR WELFARE CESS AND CONTEIGENCY	0 7,020,396.20					
	Say	D 7,020,396.00					

Divisio Rupnarayan

.

TECHNICALLY VETTED an Superintending Engineer Kangsabati Circle-II I & W. Die. Govi. of W.B. Paschim Medinipur



ABSTRACT

Page 1 of 1

. Al

File No. FOR-13011/47/2020-SECTION(FOR)-Dept. of Forest (Computer No. 327685) Receipt No : 1296389/2020/SECTION(FOR)

	DETAILS ESTIMATE FOR EARTI ATER DETENTION STRUCTURE	I WORK EXCAVATION, CONS AT MOUZA: MAGURASOLE, JI GARBETA -1, DIST:PAS	L NO: 653, PLOT :	NO: - UNDE	VAY FO	AGORA	TRUCTION OF RANGE, BLOCK:
	De	scription of Item		Qut.	Unit	Rate (Rs.)	Amount (Rs.)
	Cutting uprooting and clearin bushes, trees, plants, upto 30 c Engineer-in-charge Page-Cjtem-1						
and the second	1 8	130.00 x 80.00 -]	10400,00	10400.00	Segura	5.00	□ 52,000.00
Contraction of the second seco	Excavation in ordinary soil / kankar, pebbles / silt dry or moi RESERVOIR / SFMIS etc wi capacity including cutting and I slopes in accordance with requi- transporting to embankment/ di	mixed soil i.e. clay mixed ist / slushy silt / slicky soil for the hydraulic excavator of r loading in tippers, trimming be rement of lines, grades and cr sposal site within all lifts and ug disposed spoils at disposed	I i.e. clay mixed with moorun , silt / sticky soil for WDS / WHS / lic excavator of required backet tippers, trimming bottom and side ines, grades and cross section and within all lifts and lead upto 1500 spoils at disposed area. (mode of				
		150.00 x 80.0 x 2.00	- 24000.00				
	Total escavated earthwork	130.00 x 70.0 x 2.00	18200.00				
		110.00 x 50.0 x 1.50	8250,00				
	Tot.	The second se	- 50450,00		1		
		(2.00 + 7.00) 2 x 2.50 + 112 / WRDD / Chapter-11)	= 2250 cum				17502
	20,00 % of excavated	and the second	- 10090,00	10090.00	Cam	60.35	6.08.931.50
-	Excavation in gravel / moorun	waarne ook alle waarne waa		100000100	Cum	00.35	10,00,931.30
and the second s	section and transporting to em lead upto 1500 m including spr area. (mode of measurement : f (ft.no. 2 /page 50,00 % of excavated Excavation in soft weather	eading , leveliing disposed sp ore work and post work) 112 / WRDD / Chapter-11) eartwork	oils at disposed	25225.00	Cum	69.78	017,60,200.50
	WHS/RESERVOIR / SFMIS et capacity including cutting and slopes in accordance with requi transporting to embankment/ di m including spreading, levelin measurement : pre work and po	c with hydraulic excavator of loading in tippers, trimming l irement of lines, grades and cr isposal site within all lifts and g disposed spoils at disposed et work)	required bucket bottom and side ross section and lead upto 1500				
	And and a second s	e - 112 / WRDD / Chapter-11)					
-	30.00 % of excavated Extra rate where land is to be a 4 for disposal of spoils.		- 15135.00 tems no 2 , 3 &	15135.00	Cum	\$2.98	012,55,902.30
5		e - 112 / WRDD / Chapter-11)					
			- 48200 cum	48200.00	Cum	7.54	363,428.00
40	Earth work in excavation of fou (including mixed soil but of		one) including 5 m. as directed.				
a provide the second se	The item includes necessary dressing and ramming the botto	trimming the sides of tren on, bailing out water as requir					0.00
I MAN IN THE REAL PROPERTY OF	The item includes necessary dressing and ramming the botto (a) Depth of excavation not exc	trimming the sides of tren on, bailing out water as requir eeding 1,500 mm.				ales.	
	The item includes necessary dressing and ramming the botto (a) Depth of excavation not exc (It.no. 2 (A))	trimming the sides of tren on, bailing out water as requir					
6	The item includes necessary dressing and ramming the botto (a) Depth of excavation not exc (It.no, 2 (A)) A) PIPE SPILLWAY	trimming the sides of tren on, bailing out water as requir eeding 1,500 mm.					
	The item includes necessary dressing and ramming the botto (a) Depth of excavation not exc (IL.no. 2 (A)/ A) PIPE SPILLWAY Pipe Bed 1 Abutment 1 X 2	trimming the sides of tren nm. bailing out water as require eeding 1,500 mmi. /Page - 1 / PWD Building) x x 7.50 x 2.55 x 0.90 x 2.55 x 0.90	- 5.24 - 3.62				
6	The item includes necessary dressing and ramming the botte (a) Depth of excavation not exc (II.no. 2 (A)/ (A) PIPE SPILLWAY Pipe Bed 1 Abutment 1 N 2 D/S bed 1	trimming the sides of tren nm, bailing out water as require eeding 1,500 mm. Page - 1 / PWD Building) x 7.50 x 2.55 x 0.30 x 2.55 x 0.30 x 0.50 x 0.30 x 2.55 x 0.30 x 0.50 x 0.25	- 5.74 - 3.67 - 0.64				
	The item includes necessary dressing and ramming the botts (a) Depth of excavation not exc (it.no. 2 (A)/ A) PIPE SPILLWAY Pipe Bed 1 X 1 Abutment 1 X 2 D/S bed 1 X 1 Bed cutoff, D/S 1 X 1	trimming the sides of tren nm, bailing out water as require eeding 1,500 mm. Page - 1 / PWD Building) x 7.50 x 2.55 x 0.50 x 2.55 x 0.50 x 1.00 x 2.55 x 0.25 x 0.25 x 0.25 x 0.30 x 1.00 x 2.55 x 0.30 x 0.00 x 0.00 x 0.00 x 0.00	- 5.74 - 3.67 - 0.64 - 0.38				
6	The item includes necessary dressing and ramming the botts (a) Depth of excavation not exc (it.no, 2 (A)/ A) PIPE SPILLWAY Pipe Bed 1 Abutment 1 X 1 Bed cutoff, D/S 1 Bed cutoff, side 1	trimming the sides of trenmin, bailing out water as required as req	ed complete.				
6	The item includes necessary dressing and ramming the bott (a) Depth of excavation not exc (it.no. 2 (A)/ A) PIPE SPILLWAY Pipe Bed 1 \times 1 Abutment 1 \times 2 D/S bed 1 \times 1 Bed cutoff, D/S 1 \times 1 Bed cutoff, side 1 \times 2 Cutoff bellow 1 \times 2	trimming the sides of tren nm, bailing out water as require eeding 1,500 mm. Page - 1 / PWD Building) x 7.50 x 2.55 x 0.50 x 2.55 x 0.50 x 1.00 x 2.55 x 0.25 x 0.25 x 0.25 x 0.30 x 1.00 x 2.55 x 0.30 x 0.00 x 0.00 x 0.00 x 0.00	- 5.74 - 3.67 - 0.64 - 0.38				

DETAILS ESTIMATE

Page 1 of 3

.Je

File No. FOR-13011/47/2020-SECTION(FOR)-Dept. of Forest (Computer No. 327685) Receipt No : 1296389/2020/SECTION(FOR)

	Supplying and I course or below I	loon	r Pot	roo	f terr	racin	(1: # Of	in fou	ndat	ion or	in fe	damp proof				
		100	(It a	a. 3/1	Page	. 47/	PHI	D Baild	ing)	actin or						
	A) PIPE SPILL	-	for the	- 1					-	in the						
1	Pipe Bed	1	X	1		7.50	X	2.55	-		1-1-	19.13				
	Abutment D/S bed	1	x			2.55	X	0.60	-		-	3.06		1		
	Toe wall	1	1x			50.00	X	4.55	-		-	2.55		100		
	TOC WALL	11	141	_	tal	ALOS	141	0.30	-	-	H	99.74	99.74	-	24.00	C 3 303 74
	Hire and labour	char	ors fr			ring	with	cente	rina	and n	1-1		99.74	Som	24.182	□ 2,393.76
	upto 4 m using a thickness with i lintels curved o completion of we without staging i	pprov requir r stra orks (red st aight upto	iout braci inc reol	prop ing l	s and for c ng fi	thi onci thin	ick har rete sl g. fixi	d wo abs, ng a	beam beam	nks s an rikin	of approved d columns, g out after				
	and the second second			Section Colors	(0/Pa	ge - 43	PW	VD Build	ing)		-					
	A) PIPE SPILLWAY													1		
8	Pipe Bed	++	X			7.50	X	0.15	-		4	2.25				
1	Abstencest	ti	1 x			2.55	X	0.15	1		1	0.77				
		Ti	1x		_	0.60	X	0.15	1		H	0.18		1		
	Abutment cutoff	11	X			2.55	X	1.50	1		E	15.30				
		2				64.6	X	1.50	1		ET	3.60				
	Bed cutoff, D/S	1	X			0.50 2.55	X	0.10	1		1-1	0.10		1		
	Bed cutoff, side	ti	1 X			2.55	XX	0.50	1		H	2.55		1	515x	
	Dea caton, suc	13	x		in the second	0.30	1 C	0.50	1		H	0.90				
	D/S bod	Ťī	x			2.55	X	6.10	1		H	0.77			1	
		-	and the second se		tal				-		-	30.99	30.99	Sqm	2013-00	0 6,290.97
	Ordinary Cemen	con	crete	(mi	x 1.2	(4) v	ith	erades	1 sto	ne chir	× (2)					
	nominal size) exc	Indir	ag sh	utte	rine	and	eini	forcem	enti	Lany	in a	mund floor				
	as per relevant IS	codi	es (a) Pa	kur 1	Varie	tv.			a any.		Contra Hour				
	The rest of the rest							wdale ()	-	111						
					VPIP											
9	Pipe Bed	1		1	X	7.50	х	2.55	X	0.15	I-T	2.87				· · · ·
	Abutment	1	X	2	X	2.55	X	0.60	X	0.10		0.33				
	D/S bod	1	X	1	X	1.00	X	2.55	X	0.10	-	0.25		1		
	Head cutoff, D/S Bead cutoff, side		XX			2.55	XX	0.30 0.30	X	0.50	1-1	0.38				
	Toe wall wearing coat				X 13				X	0.50	H	0.30 5.63		1	Elel.	
		-	Leel	Te				trouble.	Lai	a.a.r.s	1-1	9.75	9.75	Cum	6047.98	00,58,967.8
	Ordinary Cemen	t cor	acrete	e (n	ix I	1.2.4) 11	th er	ded	stone	chi	and the second se		-		14,30,70/.0
	nominal size) ex as per relevant IS	cludin code	ng sh es. (a) Pa	ring kur \	and Varie	rein ty	forcen	ieni,	if any,	in g	round floor				
10	Sollway Abutment	As per	rate .	analy	SIS O	I PWE	0 80	hedule	Encl	osed)]						
	wall	1	x	2	* 2	2.55	×	0.60	×	1.50	-	4.59				
	Toe Wall	1	x	1	× 15	00.00	x	0.50		1.50	-	112.50				
			Janute	To					HERITY	Constant of	-	117.09	117.09	Cum	6047.98	07.08,157.9
	Plaster (to wall, rounding off or including throat necessary (Groun	cha ing, id flo	nosi or).[I	ing ng Excl	corr and udin	drip g cos	as co	directo urse,	scaf	nd rai folding	king /staj	out joints ging where				
	almonar Mix I						VD,	SOR	ol 1	3rd Ci	urrig	endam)				
	a) Mortar Mix. 1 (Item No 1)							-	in the		T	- management and a				
		WAY		2	x a	1.55	x	1.70				8.67		1		
	(Item No 1	WAY 1	x	* *		785	x	0.49	1		-	-2.31				
	(Item No 1) A) PIPE SPILL Abutment Deduction for	1		-	X 0				1	-	++	6.36	6.36	1	153.00	
	(Item No 1) A) PIPE SPILL Abutment			6							171	and the second se	0.30	Segm	1.7.3.688	00,973.08
	(Item No1 (A) PIPE SPILL Abutment Deduction fo pipe	1 1	x	6 To	tal			sine C		nt () 14	2				CONTRACTOR OF THE OWNER	
	(Item No1 (A) PIPE SPILL Abutment Deduction for pipe Neat cement pun	1 1 ning	x	6 To # 1.	tal 5mm	thic		sing C	eme	nt 0.15	12 cu	Im per 100			2201121120	
	(Item No1 (A) PIPE SPILL Abutment Deduction fo pipe Neat cement pun sq.m. in wall,dad	1 1 ining ko,wit	abou	6 To at 1. sill	tal 5mm	thic retc						.m per 100				
	(Item No1 (A) PIPE SPILL Abutment Deduction fo pipe Neat cement pun sq.m. in wall,dad	1 1 ining ko,wit	abou ndow	6 To 11 1. sill, 5 / P	tal 5mm floo age 7	i thic or etc No)				nt 0.15 t Vol 1		Imper 100				
	(Item No1 of A) PIPE SPILL' Abutment Deduction for pipe Neat cement pun sq.m. in wall,dad (J	1 ning o,wittem N	abou ndow ia 11 Sam	6 To n 1. sill, S/P	tal 5mm floo 'age ?	i thic or etc No) ster	92/	PWD,	soi	t Vol 1)	6.36	6.360	Sqm	34.00	0 0,216.24
11	(Item No1 (A) PIPE SPILL Abutment Deduction fo pipe Neat cement pun sq.m. in wall,dad	1 r 1 ning o,win tem N ng Ru layin as bo as p	abou ndow ia 13 Sam cinfor ug reit dding er Te	6 To n 1. sill, S/P ic as ced of afore of g	tal 5mm , floo 'age ? i plan Ceme ed ce ranuk	thic or etc No) ster ent Co ment ar me	92 /	PWD, etc Pip crete pi al in su	SOI e NP pe N igle i	R Vol 1 3 as pe P3 with row incl) r des spig ludin	6.36 ign in Single of socket for g fixing with	6.360	Sqm	34.90	0,216.24
12	(Item No1 (A) PIPE SPILL Abstiment Deduction fo pipe Neat cement pun sq.m. in wall,dad (I Providing and Lay Row Providing and culverts on first cla concert near 1:2	1 ning o,win tem N ng Ru Layin as po as po m dia	abou ndow ia 12 Sam einfor ug reir dding er Te	6 To n 1. sill, S / P ic as ced of afore of g xhui	tal 5mm floo age 7 plan Cense ed ce ranul cal S	thic or etc No) ster ent Co ment ar ma pecif	92 / meni com teria	PWD, etc Pip crete pi al in su	SOI pe NP igle i use 1	R Vol 1 3 as pe P3 with ow incl 1106 fo) r des spig ludin	6.36 ign in Single of socket for g fixing with	6.360	Sqm	34.00	0 0,216.24

DETAILS ESTIMATE

Page 2 of 3

File No. FOR-13011/47/2020-SECTION(FOR)-Dept. of Forest (Computer No. 327685) Receipt No : 1296389/2020/SECTION(FOR)

Providing weep holes in Brick masonry / Plain / Reinforced concrete butment, wing wall / return wall with 100 mm dia AC pipe, extending 14 through the full width of the structure with slope of 1V-20H towards drawing face (Pg 297, Sl en13.63 of PWD Raad schedule & 15 th Corrignda) - 50 Nos - 50 Nos 50 No 115 5.750.00 Supplying testingandinstallationofopenWeaveJuteGeotextile(JGT)havingoverallweightof500gm/sq.m, thickness6mm, width 1220mm .Tensilestrength10KN/m(Warpdirection) >7.50KN/m(weftdirection)onslopes of embank ments dressed and cutto agradient as per design and drawing for control of surfaces oiler osion on proposed banks lope of embank mentine luding the cost of preposed banks lope of embank mentine luding the cost of preposed banks lope of embank mentine luding the cost of preposed banks lope of embank mentine luding the cost of preposed banks lope of embank mentine luding the cost of preposed banks lope of embank mentine luding the cost of preposed banks lope of embank mentine luding the cost of preposed banks lope of embank mentine luding the cost of preposed banks lope of embank mentine luding the cost of preposed banks lope of embank mentine luding the cost of preposed banks lope of embanks lope oarationofsub-gradeandexcavatingthetrenchesof500mmdeepandspadewidthwidewherenecessary, and filling the trenches with earthduly secured to 13 gradebyUshapeMSstaples(11gauges)orwoodenorplasticpegsatanintervalof450 mm, providingsidelappingof100mmandhorizontallappingof300mmasperdirect ioncomplete. Therateisinclusiveofallincidentalcharges, transportationbyallmea nstotheworksite, alleads and lifts complete. (Payment will made on the basis of finished surface area of the slope). 460 x 11.20 * 5152.00 5152.00 So 58.00 0 298,816.00 Item no2.81/ page - C22/1& WD/ Capter -1 ISOR2018 Precastcementconcreteblocksorliningunitsasperdesignedsizeandspecification, withwellgradedstonemetalaggregate, includingdressing, ramming, shuttering, fi nishingthetopsurface with 1:3 cementands and mortar, curing, transporting and lay ingtheblocksorliningunitsatworksiteinposition.overfilter.layer,keepingagapof 6mmbetweentheadjacentunits, by sucofremovable plyboards or nonremovable the rmocolboards, withallleadsandlifts, includingsupplyand carriage of all materials complete. (The rate is exclusive of the cost of stone aggregate and its carriage up to site. Construction wing has to add the cost of same from the SoR of PW (Roads) to derive the consoliding the cost of same from the SoR of PW (Roads) to derive the consoliding the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost of same from the SoR of PW (Roads) to derive the cost o67.50 16 Can 6705 04 04,52,590.20 atedrate. Consumption chartof the USoR may be used for assessing the quantity of coarscaggregatesper cum of concrete) With Stone Aggregates (Pakur, North Bengal or Rajmahal varieties) a) Nominal Mix. 1:2:4 with 20 mm down coarse aggregate b) Nominal Mix. 1:1.5:3 with 20 mm down coarse aggregate [150.00] X 3.00] X 0.15 [** 67.50 [fleen no 2.54/page - Cl9/I&WD/ Capter -1] Construction of a Sign board of size 1.80 m x 1.20 m made of brick masonary (1.4) cement mortar 125 mm thick inside sourrounding with 250 mm x 250 mm thick out side, foundation depth 0.60 m, with 15 mm thick plaster(1:6). Lettering should be done with approved Black paint over 1.00 LS 3500.00 3,500.00 Yellow Background complete as per direction of E-I-C. [Approved rate of S.E. (A-I). Bankura (A-I) Circle] Total 056,58,955.21 Say 056,58,955.00

Divisional Divisio Rupnarayan Di Midnapor

TECHNICALLY VETTED Superintenening Engineer Kangsabati Circle-II I & W. Dte. Govt. of W.B. Paschim Medinipur

DETAILS ESTIMATE



Page 3 of 3

File No. FOR-13011/47/2020-SECTION(FOR)-Dept. of Forest (Computer No. 327685) teceipt No : 1296389/2020/SECTION(FOR)

1

	ANNEXURE "X"							
GENERAL ABSTRACT OF COST								
SL NO	DESCRIPTION	AMOUNT						
1	COST OF WORK	G 5,658,955.21						
2	GST@ 12 % , AS APPLICABLE ON SL NO 1	0 679,074.63						
3	COST OF ALL WORKS EXCLUDING LABOUR WELFARE CESS	0 6,338,029.84						
4	LABOUR WELFARE CESS @ 1% ON SL NO 3	0 63,380.30						
5	CONTIGENCY CHARGE @ 3% ON SL NO 3	D 190,140.90						
6	COST OF ALL WORKS INCLUDING LABOUR WELFARE CESS AND CONTEIGENCY	G 6,591,551.04						
	Say	6,591,551.00						

Divisional Fore Rupnarayan Midnap

TECHNACALLY VETTED 200 Superintending Engineer Kangsabati Circle-II I & W. Dte. Govt. of W.B. Paschim Medinipur



ABSTRACT

Page 1 of 1

. He

e

+ *

1.

58	WATER DETENTION STRE					*****		-	112	IIM MEDIN				
No			escriptio								Qut.	Unit	Rate (Rs.)	Amount (Rs.)
1	Cutting uprooting and clearing jungles including shrubs, water woods, bushes, trees, plants, upto 30 cm. Girth including removing as directed by Engineer-in-charge.								(RA.)					
	Page-C-,	item-	1.23 of	1.5	WD	USo	R 2	18			1			
		1 4	100.00	I.	60.0	6 T.	T		600	0.00	6000.00	Segns	5.00	□ 30,000.00
2	RESERVOIR / SPMIS capacity including cutting slopes in accordance with transporting to embankme m including spreading , le	vation in ordinary soil / mixed soil i.e. clay mixed with moorun, ar, pebbles / silt dry or moist / slushy silt / sticky soil for WDS / WHS / ERVOIR / SFMIS etc with hydraulic excavator of required bucket city including cutting and loading in tippers, trimming bottom and side s in accordance with requirement of lines, grades and cross section and porting to embankment/ disposed site within all lifts and lead upto 1500 cluding spreading , levelling disposed spoils at disposed area. (mode of arement : pre work and post work)												
			120.00	-	70.0	Ta	Τ,	.00		16800,00	-	1 1		
	Total excavated earthw	ork	100.00	-	60.0		-	00	-	12000,00	1			
			80.00	x	50,0	1 x	1	50		6000,00	1	1 1		1
-		Tota					-	-	-	34800.00	1	1 1		1
	For embankment 200	00 x	(2.00 -	7	.00)/2	x	1 2	50		2250 cum	1	1 1		1
	. (II.no. 1 /				DD/(0	hap	ter-	1)	2440		1	1 1		
-	20.00 % of excav Excavation in gravel / m	ated	cartwo	rk					+	6960,00	6960,00	Cum	60.35	04,20,036.00
	land the least porting of	o emb	tertik tite	ni/ i	dispos	al s	ite	with.	m	and cross Il lifts and				
	section and transporting to lead upto 1500 m including area. (mode of measurente (Rna 2 50.00 % of excav Excavation in soft weat WHS/RESERVOIR / SFM capacity including cutting ; stopes in accordance with n transporting to embankmen m including spreading. lev	g spre nt pr /page - ated e ther S etc and to equire nt/ disp cliing	ankme ading , e work 112/W artwoi rock / with hy ading i cment c posal si dispos	and RDI k so dra n tij f lin	ling post /Cha li lai ulic e ppers, ics, gi ithin	disp work pter- terite xcav trin rade	c) () () () () () () () () () () () () ()	within i spot cks of r ug be d created	for equi	II lifts and it disposed 17400.00 WDS / red bucket n and side ection and	174500.060	Cum	<u>69,78</u>	□12,14,172.00
	near upto 1500 m including area. (mode of measureme (fl.ms 2 50,00 % of excav Excavation in soft weat WHS/RESERVOIR / SFMJ apacity including cutting slopes in accordance with r transporting to embankmen m including spreading, lev measurement : pre work an	g spre nt pr page - ated e ther S etc and to equire nt/ disp cliing d post	ankme ading , e work <u>112/#</u> artwoi rock / with hy ading i cment o posal si dispos work)	and RDI k so dra n tij f lin te w ed s	ling post of Cha ulic e ppers, pers, poils	disp work pter- terito xcav trin rade all 1 at d	c nator ator ifts an ispo	within i spot cks of r ug be d created	for equi	II lifts and it disposed 17400.00 WDS / red bucket n and side ection and	17490-00	Cum	69,78	□12,14,172.00
	near upto 1500 m including area. (mode of measureme (<i>ILma</i> 2 50,00 % of excav Excavation in soft weat WHS/RESERVOIR / SFMJ slopes in accordance with r transporting to embankmen m including spreading, lev measurement : pre work an (<i>ILma</i> 3)	g sprei m : pr /page - ated e her i S etc and to equire t/ disp cliing d post page -	ankme ading , e work 112/W artwoi rock / with hy ading i cment c posal si dispos work) 112/W	RDD RDD RDD RDD RDD	ling post of Cha ulic e ppers, pers, poils	disp work pter- terito xcav trin rade all 1 at d	c nator ator ifts an ispo	within i spot cks of r ug be d created	- for cqui ottor oss s lead area.	II lifts and it disposed 17400.00 WDS / red bucket n and side ection and upto 1500 (mode of				□ <i>12,14,172.0</i> 0
	near upto 1500 m including area. (mode of measureme (fl.ms 2 50,00 % of excay Excavation in soft weat WHS/RESERVOIR / SFMJ capacity including cutting slopes in accordance with r transporting to embankmen mincluding spreading, lev measurement : pre work an (fl.ms 3 30,00 % of excay 20,00 % of excay Extra rate where land is to 14 for disposal of spoils.	g spre nt : pr /page - ated e ther i S etc and to equire t/ disp cliing d post /page - ated e be arr.	ankme ading , e work 112/W artwol rock / with h ading i ment c posal si dispos work) 112/W artwor anged t	and RDI k so dra n tij f lin te w ed s RDI k wy th	t la post t la ulic e ppers, ics, g ithin poils t/Cha	disp work pre- lerite xcav trin rade all 1 at d	osci () () () () () () () () () ()	within spo socks of r ing but d cree ind 1 sed a	in all bils c for cqui ottor oss s lead area.	Il lifts and tt disposed 17400.00 WDS / red bucket n and side ection and upto 1500 (mode of	17400.00	Cum	59.78 82-98	012,14,172.00 08,66,311.20
	the up of 1500 in including area. (i mode of measureme (<i>ILma</i> 2 50,00 % of excav Excavation in soft weat WHS/RESERVOIR / SFM (apacity including cutting) apacity including cutting) sopos in accordance with r transporting to embankmen in including spreading. lev measurement : pre work am (<i>ILma</i> 3, 30,00 % of excav.	g spre nt : pr /page - ated e ther i S etc and to equire t/ disp cliing d post /page - ated e be arr.	ankme ading , e work 112/W artwol rock / with h ading i ment c posal si dispos work) 112/W artwor anged t	and RDI k so dra n tij f lin te w ed s RDI k wy th	t la post t la ulic e ppers, ics, g ithin poils t/Cha	disp work pre- lerite xcav trin rade all 1 at d	osci () () () () () () () () () ()	within 1 spoo I spoo socks of r ng by d cree und 1 sock 1 sock 1 in the in t	in all pils a for cqui ottor oss s lead area.	17400.00 WDS / red bucket a nad side ection and upto 1500 (mode of 10440.00 no 2 , 3 &	16440.00	Cum		
	near upto 1500 m including area. (mode of measureme (fl.ms 2 50,00 % of excav Excavation in soft weat WHS/RESERVOR / SFMJ capacity including cutting slopes in accordance with r transporting to embankmen mincluding spreading, lev measurement : pre work an (fl.ms 3 30.00 % of excavy Extra rate where land is to i for disposal of spoils. (fl.ms 5/ Earth work in excavation of including mixed soil bu emoving, spreading or state the item includes necessi tressing and ramming the b	g spre mi pr page - page - ated e ther i S ctc and lo and lo a	antkine ading , ading , e work artwoi rock / with hy artwoi cosal si dispose work) 112/# artwoi anged I 112/# attwoi anged I 112/# attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi	and RDI k so dra n tij f lin te w ed s RDD k RDD k rence lat lat s w t th g ou	eliing post t post t	disper- verification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terification terificati	osse () () () () () () () () () ()	within spectra	in all bills of for cqui ottor pss s lead area.	17400.00 WDS / red bucket n and side ection and upto 1500 (mode of 10440.00 no 2 , 3 & 2550 cum prist of soil including directed.				
	near upto 1500 m including area. (mode of measureme (<i>Ilt.na.</i> 2 50,00 % of excav Excavation in soft weat WHS/RESERVOIR / SFMJ slopes in accordance with r transporting to embankmen m including spreading, lev measurement : pre work an (<i>Ilt.na.</i> 3) 30,00 % of excava Extra rate where land is to 1 for disposal of spoils. (<i>Ilt.na.</i> 5) Earth work in excavation of including mixed soil b	g spre mi pr page - page - ated e ther i S ctc and lo and lo a	antkine ading , ading , e work artwoi rock / with hy artwoi cosal si dispose work) 112/# artwoi anged I 112/# attwoi anged I 112/# attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi attwoi	and RDI k so dra n tij f lin te w ed s RDD k RDD k rence lat lat s w t th g ou	eliing post t post t	disper- verification territor xeav trian rade all l at d per- tract of er- or a lea	osse () () () () () () () () () ()	within spectra	in all bills of for cqui ottor pss s lead area.	17400.00 WDS / red bucket n and side ection and upto 1500 (mode of 10440.00 no 2 , 3 & 2550 cum prist of soil including directed.	16440.00	Cum	82.93	8,66,311.20
	near upto 1500 m including area. (mode of measureme (fl.ma 2 50,00 % of excav Excavation in soft weat WHS/RESERVOIR / SFMJ slopes in accordance with r transporting to embankmen mincluding spreading, lev measurement : pre work an (fl.ma 3, 30,00 % of excav Extra rate where land is to i for disposal of spoils. (fl.ma 5, Earth work in excavation of including mixed soils tressing and ramming the b a) Depth of excavation not. (fl.ma, 2 (y spreent provide the spreent provident provid	antkine ading , e work 2012/Weartwoir rock / / with his ement c posal si disposal si disposal si disposal 2012/W artworr anged H 112/W dation i cluding i, bailin ding 1, ;	and RDI k so dra n tip f lu te w ed s RDD k RDD k RDD k rence lat is w to the so to the so to the so the so the so the so the so the so the so the so the so the so the so the so the so the so the so the so the so the so the so the so the so the so the so the so the so the so the so the so the the so the so the so the so the so the the so the so the the so the the so the the the the the the the the	eliing post : //Cha lt lai ulic e ppers, sees, g ithin poils //Cha e con //Cha e con //Cha e con //Cha e con //Cha	disperimental perimental trade all 1 at d per- trade trade of a lea	xose () (1) () () () () () () () () () (within spectrum of the spectru	in all bills of for cqui ottor pss s lead area.	17400.00 WDS / red bucket n and side ection and upto 1500 (mode of 10440.00 no 2 , 3 & 2550 cum prist of soil including directed.	16440.00	Cum	82.93	8,66,311.20
	near upto 1500 in including area. (mode of measureme (<i>ILma</i> 2 50,00 % of excav Excavation in soft weat WHS/RESERVOIR / SFMJ slopes in accordance with r transporting to embankmen in including spreading, lev measurement : pre work an (<i>ILma</i> 3, 30,00 % of excav Extra rate where land is to 1 4 for disposal of spoils. (<i>ILma</i> 3, 20,00 % of excav Extra rate where land is to 1 4 for disposal of spoils. (<i>ILma</i> 3, 20,00 % of excav Extra rate where land is to 1 5 for disposal of spoils. (<i>ILma</i> 3, 20,00 % of excav (<i>ILma</i> 4, 2) (<i>ILma</i>	g sprei ni pri /page - /page - S etc aad lo equinto S etc aad lo equinto s etc equinto f post page - into d page - f ounce t exceed any t f ounce t exceed any t f outen t exceed any t f outen f outen f oute	antkine ading , e work artwoir orock / artwoir orock / artwoir orock / artwoir orock / artwoir anged l //// /// /// /// /// //	RDD k so dra n tij f lin te w ed s RDD k k rence lat lis w th to to to to to to to to to to to to to	eling post - 	disp work pter- terite xcav trim rade all i at d pter- tract of r dra or a lease cr as wilddi	xose () () () () () () () () () ()	within spectrum of a spectrum	in all bills of for cqui ottor pss s lead area.	Il lifts and at disposed WDS / red bucket and side ection and upto 1500 (mode of 10440,00 to 2, 3 & 2550 cum rts of soil including s directed levelling, uplete.	16440.00	Cum	82.93	8,66,311.20
	the up of 1500 m including area. (mode of measureme (fl.ms 2 50,00 % of excav Excavation in soft weat WHS/RESERVOR / SFM) capacity including cutting slopes in accordance with r transporting to embankmen mincluding spreading, lev measurement : pre work an (fl.ms 3 30.00 % of excav) Extra rate where land is to it for disposal of spoils. (fl.ms 5/ Earth work in excavation of including mixed soil bu emoving, spreading or state the item includes necessi tressing and ramming the b a) Depth of excavation not (fl.ms 2 () PIPE SPILLWAY 'ipe Bed 1 x 1	g sprer nt . pr /page - /page - S ctc and to cequire S ctc and to cequire (S ctc and to cec (S ctc and to cec (S ctc (S ctc and to cec (S ctc (S ctc) (S ctc	antkine ading , e work artwoor rock / with h ading i ment d disposal si disposal si d	ROD ROD ROD ROD ROD ROD ROD ROD ROD ROD	cliing post i post i po	disp work pter- terite xcav trim rade all i at d pter- trace or a lea es c er as uildi	xose () () () () () () () () () ()	aithi i spo ocks of r ug be d cree ind i sed a ised a in a dstor 75 r ench uired	in all bills of for cqui ottor pss s lead area.	II lifts and It disposed WDS / wDS / wDS / wDS / wob set including s directed levelling, uplete.	16440.00	Cum	82.93	8,66,311.20
	near upto 1500 in including area. (mode of measureme (<i>ILma</i> 2 50,00 % of excav Excavation in soft weat WHS/RESERVOIR / SFMJ slopes in accordance with r transporting to embankmen in including spreading, lev measurement : pre work an (<i>ILma</i> 3, 30,00 % of excav Extra rate where land is to 1 4 for disposal of spoils. (<i>ILma</i> 3, 20,00 % of excav Extra rate where land is to 1 4 for disposal of spoils. (<i>ILma</i> 3, 20,00 % of excav Extra rate where land is to 1 5 for disposal of spoils. (<i>ILma</i> 3, 20,00 % of excav (<i>ILma</i> 4, 2) (<i>ILma</i>	g spreint prices of the spreint prices of th	antkine ading , e work 1127 # artword artword artword artword artword artword artword artword 1127 # artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artword artwo	A construction of the second s	ling post i o / Cha lit lasi ulic e ppers, ges, ge pithin poils // Cha the con // Cha the sid t water the sid t water water vD Ba	disp work per- terito xcav trin rade all i at d per- trace r dra a lea es c er as mildi	xose () (1) () () () () () () () () () (aithi i spo ocks of r ug be d cree ind i sed a ised a in a distor 75 r in a distor 75 r in a	in all bills of for cqui ottor pss s lead area.	I lifts and at disposed WDS / red bucket n and side ection and upto 1500 (mode of 10440,00 no 2 , 3 & 2550 cum including s directed. leveling. uplete. 5.74 3.67	16440.00	Cum	82.93	8,66,311.20
	the up of 1500 in including area. (mode of measureme (fl.ms 2 50,00 % of excav Excavation in soft weat excavation in soft weat slopes in accordance with r transporting to embankmen including spreading, lev measurement : pre work an (fl.ms 3 30.00 % of excavy Extra rate where land is to i for disposal of spoils. (fl.ms 3/ 30.00 % of excavy Extra rate where land is to i for disposal of spoils. (fl.ms 3/ Earth work in excavation of including mixed soil ba emoving, spreading or state the item includes necessa tressing and ramming the b a) Depth of excavation not (fl.ms. 2 () PIPE SPILLWAY "ipe Bed 1 X 1 boutment 1 X 2 2/S bed 1 X 1	g sprer nt pr /page - and loc S etc and loc S etc and loc equir ther is sec equir ther is sec equir ther is sec be arri- page - ther is sec be arri- page - ther is sec be arri- page - is sec in sec is sec is sec is sec is sec is sec in sec is	antknie ading , e work artworock / artworock / with h ading i ment c dispos work) 112/14 artwor anged I 112/14 dation i bailing i, gg - 1 2.55 1.00	and RDD K so dra n tip f lin te w ed s RDD k rence lat ls w t th g ou 600 FW X	cliing post i post i po	disp work pter- terite xcav trim rade all i at d pter- trace or a lea es c er as uildi	xose () () () () () () () () () ()	arithi 1 spc spc of r ng bx of r ng bx	in all bills of for cqui ottor pss s lead area.	I lifts and it disposed WDS / red bucket and side ection and upto 1500 (mode of 10440,00 to 2, 3 & 2550 cum rts of soil including e directed levelling, uplete. 5.74 3.67 0.64	16440.00	Cum	82.93	8,66,311.20
	And upto 1500 in including area. (mode of measureme (fitms 2 50,00 % of excav Excavation in soft weat WHS/RESERVOIR / SFMJ capacity including curting slopes in accordance with r transporting to embankmen including spreading, lev measurement : pre work an (fitms 3 30,00 % of excav at a star where land is to i for disposal of spoils. (fitms 5/ Carth work in excavation of including mixed soil be emoving, spreading or state (he item includes necessa (fitms 2 disposal of spoils. (fitms 2 disposal of spoils. (fitms 2 disposal of spoils. (he item includes necessa (he item includes necessa) (he item includes necessa	g spre nt pr /page - atted e liher - S cicc equire t/ disp cliing ipage - inted e be arr; page - found t exc king t isy tr ottom exceed x)/Pa	variation adding , e work with h variation or variation or variatio or variation or	and Roll to the solution of th	clining post 1 27/Cha It Isi ulic e ppers, nes, gg ithin poils 27/Cha ite con 27/Cha ite con 27/Cha ite con 255 0.90 2.35 0.30 0.30	disp worl per- terito xcav trin rade all i at d per- trace or a lea cr as a lea cr as	xose () () () () () () () () () ()	aithi I spo of r ng bo of r ng bo t cre tind I sed a sed a in a ite	in all bills of for cqui ottor pss s lead area.	I lifts and at disposed WDS / red bucket n and side ection and upto 1500 (mode of 10440,00 no 2 , 3 & 2550 cum including s directed. leveling. uplete. 5.74 3.67	16440.00	Cum	82.93	8,66,311.20
	And upto 1500 in including area. (mode of measureme (fl.ms 2 50,00 % of excav Excavation in soft weat WHS/RESERVOIR / SFM) capacity including cutting slopes in accordance with r transporting to eutbankmen including spreading, lev measurement : pre work an (fl.ms 3 30,00 % of excav Extra rate where land is to if or disposal of spoils. (fl.ms 5/ Extra hybrid spoils) (fl.ms 5/ Extra hybrid spoils) (fl.ms 5/ Extra hybrid spoils) (fl.ms 2/ Extra hybrid spoils) (fl.ms 2/ Extra hybrid spoils) (fl.ms 2/ PIPE SPILLWAY 'pe Bed 1 x 1 boutment 1 x 2 // S bed 1 1 x 1 led cutoff, D/S 1 x 1 led cutoff, D/S 1 x 2	g spre page - page -	variation e work 1112/14 varitwoorock / varitwoorock / var	level and	ching post 1 27/Cha It Iau Ulic es, necs, g ithin poils 2/Cha te con 2/Cha te con 2/Ch	dispective period	ose () () () () () () () () () ()	arithi I spo ocks of r ug by d cree und I seed a seed a distor 75 1 encl aired 0 	in all bills of for cqui ottor pss s lead area.	II lifts and II disposed WDS / red bucket n and side ection and upto 1500 (mode of 10440,00 no 2 , 3 & 2550 cum nrts of soil including s directed levelling, uplete. 5.74 3.67 0.64 0.38	16440.00	Cum	82.93	8,66,311.20

DETAILS ESTIMATE

Page 1 of 3

File No. FOR-13011/47/2020-SECTION(FOR)-Dept. of Forest (Computer No. 327685) receipt No : 1296340/2020/SECTION(FOR)

. .

:.

	Supplying and course or below	lioori	ngo	or to	of (erracit	RE C	or in lo	und	ation o	r in i	foundation			1	
	A) PIPE SPILL	WAY	in.	na. 3.	su,	e - 47.	PH	D Buil	ding	,			1	1		
7	Pipe Bed	11	THE OWNER OF	1	x	7.50	Tx	1 2 55	T			19.13	-			
	Abutment	1	×	2	x	2.55	X	0.60	+		-	3.06	1			
	D/S bed	1	x	1	x	1.00	X					2.55	1	1	1	1.1.1
	Toe wall	1	X	1	X	150.00	X	0.50	T		144	75.00	1		Line and	1
		in the second	1	T	ota				_		-	00 74	99.74	Sqm	24.00	D 2,393.76
	Hire and labour upto 4 m using a thickness with a lintels curved o completion of we without staging i	r stra orks (red s red aight upto ndat	stout brac t in o roo tion	ing cluster fol	ops and f for a ding f f groun	d th com littin nd f	tick hat crete s	rd w dabs ing 25 n	and s in to 3	anks 15 a triki	of approved nd columns, ng out after m shuttering				
f		i	x	2	X	2.55	$\frac{1}{x}$		-		H	2.25			-	
	Abutment	1	X		X	2.55	X				1	0.77		1		
	Abutment cutoff	1	XX		X	0.60	X		-		-	0.18	101			
	Contraction of the local of the	1 2	x	OCCORD.	XX	2.55	X	1.50	-		-	15.30			Elm	
		tī	X		x	0.50	1x		1		H	3,60	2.17	1	1 1 2	
	Bed cutoff, D/S	1	X		X	2.55	X	8.50	1		D	2.55		1		
	Bed cutoff, side				X	1.00	X	0.50	1		-	2.00				
	DN bod	3	XX		X	0.36	X	0,50	4		-	0.90	1111	1	-	
			AL		X	2.55	X	0,10	1	1.001	-	0,77		-		
1	Ordinary Cement	COR	nte			2.41.	ist.	und	1	-	1-1	30.99	30.99	Sqm	203.00	6,290.97
	nominal size) exe as per relevant IS	code	ng sh 18. (a)utte () Pa	rin kur	g and Varie	rcin dy	forcen	ieni,	if any,	in g	round floor				
			-			ITE SPI									Alg 113	
	Pipe Hed	1	X	11	XL	7.50	X	2.55	X	6.15	-	2.87	Similar 1			() () ()
	Abatment D/S bed		X	2	X	2.55	X	0.60	X	9.10	1-1	0.31	5 0 0 1			
	Bed cutoff, D/S		x		x	2.55	ŵ	0.30	1X	0.19		0.38			5 4 5 L 4	
and a	Hed catell, side		X		X	1.00	X	0.30	X	9.50	-	0.30			6-0 MIR.	
1	Toe wall wearing coat		X			150,09	X	0.50	X	8.075		5.63				
-	Ordinan Caman			To		1.1.1				_	1-1	9.75	9.75	Cum	6293.04	00,61,365.92
	Ordinary Cement nominal size) exc as per relevant IS	iudin code	ig sh s. (a) Pal	rin) kur	g and Varie	rein ty	forcen	teni	if any,	in g	ps (20 mm tround floor				
0	Spillway Abutment		100		-		BC	hedule	Encl	osed)]					Summers.	
-	wali	1	x	2	×	2.55	*	0.60	x	1.50	-	4.59				
	Toe Wat	1	X	1	*	150.00		0.50	x	1.50	1-1	112.50				
1			-SUL PO	Tot					-		-	117.09	117.09	Cum	6293.94	07,36,957.43
	Plaster (to wall, f rounding off or including throati necessary (Ground a) Mortar Mix. 1 (Item No1 f)	chan ng, 1 1 floo 6, (i)	nferi nosin r) [E) 20	ing og a Exch mm	con and adia	ners drip ng cos ck	as co t of	directe urse, chippi	scaf ng o	nd ral folding wer co	king /stag acret	out joints ping where c surface]				
1	A) PIPE SPILLY	AY					the state		-		1				Sept. 1	
1	Abutment	1	x	2)	X	2.55	x	1.70	-	1000	1	8.67		1 1		
- 8	Deduction for pipe	1			× 1	0.785	x	0.49			-	-2.31				
1				Tot		-					-	6.36	6.36	Sqm	153.00	0 00,973.08
-	Neat cement punn	ing a	ibou	11.5	im	n thick	k us	ing Co	me	nt 0.15	2 cu	m per 100	100			
ł	sq.m. in wall,dado	WIEG	low	sill.	flo	or etc.										
ł	(Ite	m No	- 15	I/P	ge	Na 1	92/	PWD,	SOI	t Vol 1					in the second	
1		5	am	c as	pia	ster					-	6.36	6.360	Sepn	34.00	0,216.24
	Providing and Layin Row Providing and I culverts on first class	aving i bodd	feing a	force of gr	anu	ement a lar mat	COR.	tete pij	te N	P3 with	spig	ot socket for				
and the second se	cement mortar 1.2 (MORD. (D) 600 mm	din													1	
and the second se	MORD. (D) 600 mm	din	_					ndulo (Ea			-					

DETAILS ESTIMATE

Page 2 of 3

File No. FOR-13011/47/2020-SECTION(FOR)-Dept. of Forest (Computer No. 327685) Receipt No : 1296340/2020/SECTION(FOR)

÷ •

. 1

4

[Approved rate of S.E.(A-I), Bankura (A-I) Circlej Total Say	1			043,92,413.65 043,92,414.00
[Approved rate of S.E. (4-1), Bankura (4-1) Circle]				
Construction of a Sign board of size 1.80 m x 1.20 m made of bri masonary (1:4) coment nortar 125 mm thick inside sonrrounding with 2 mm x 250 mm thick out side, foundation depth 0.60 m, with 15 mm thi plaster(1:6). Lettering should be done with approved Black paint or Yellow Background complete as per direction of E-1-C.	50 ck	L.S.	3500.00	C) 3,500.00
materials comple (Therateise xclusiveofthecostofstoneaggregateanditscarriageuptosite. Constru- tionwinghastoaddthecostofsamefromtheSoRolPW(Roads)toderivetheconsol atedrate. ConsumptionchartoftheUSoRmaybeusedforassessingthequantityofd arseaggregatesper cum of concret With Stone Aggregate (Pakur, North Bengal or Rajmahal varietis a) Nominal Mix. 1:2:4 with 20 mm down coarse aggregate b) Nominal Mix. 1:2:4 with 20 mm down coarse aggregate b) Nominal Mix. 1:1:5:3 with 20 mm down coarse aggregate b) Nominal Mix. 1:2:4 with 20 mm down coarse aggregate b) Nominal Mix. 1:2:4 with 20 mm down coarse aggregate b) Nominal Mix. 1:3:5:4 page - C19/14/WD/ Capter -11	fi ity if ie iiii iii iii o o c), s) iic	Car	5945.4 1	□4,68,815.18
Providing weep holes in Brick masonry / Plain / Reinforced concr butment, wing wall / return wall with 100 mm dia AC pipe, extendi through the full width of the structure with slope of 1V:20H towards drawing fa 0°g 297, Stan13.03 of PWD Road schedule & 15 th Carrigenda - S0 Nos Supplying, testingandinstallationofopen WeaveJuteGeo- testile(JGT)havingoverallweightof500gm/sq.m.thickness6mm, width1220m , Tensilestrength10KN/m(Warpdirection) × 7.50KN/m(weftdirection)onslop ofembankmentsdressedandcuttoagradientasperdesignanddrawingforcontrol surfacesoilerosiononproposedbankslopeofembankmentincludingthecostofpr arationofsub-gradeandexcavatingthetrenchesof500mmdeepandspade- widthwidewherenecessary andfillingthetrenchesof500mmdeepandspade- gradebyUshapeMSstaples(11gauges)orwoodenorplasticpegatamintervalof4 mm, providingsidelapping0100mmandhorizontallapping0500mmasperdir ioncomplete. Therateisinclusiveofallincidentalcharges, transportationbyallm instotheworksite.alleadsandifiscomplete. (Paymentwillmadeonthebasisof finished surface area of the slope). 380 x 11.20 4256.00	ng 50 50 state s of op 50 sot sat	No	115	□ 5,750.00 □ 246,848.00

Divisional Fordst Öl Rupnarayan Divis Midnapore

TED TECHNICA Superinter ding Engineer Kangsabati Circle-II 1 & W. Dte. Govt. of W.B. Paschim Medinipur



DETAILS ESTIMATE

Page 3 of 3

File No. FOR-13011/47/2020-SECTION(FOR)-Dept. of Forest (Computer No. 327685)

Receipt No : 1	296340/2020/SECTION(FOR)
1 P.1	

	ANNEXURE "X"								
	GENERAL ABSTRACT OF COST								
SL NO	DESCRIPTION	AMOUNT							
1	COST OF WORK	0 4,392,413,65							
2	GST@ 12 %, AS APPLICABLE ON SL NO 1	D 527,089.64							
3	COST OF ALL WORKS EXCLUDING LABOUR WELFARE CESS	□ 4,919,503.29							
4	LABOUR WELFARE CESS @ 1% ON SL NO 3	□ 49,195.03							
5	CONTIGENCY CHARGE @ 3% ON SL NO 3	□ 147,585.10							
6	COST OF ALL WORKS INCLUDING LABOUR WELFARE CESS AND CONTEIGENCY	0 5,116,283.42							
	Say	5,116,283.00							

vis

..

TECHNICALLY VETTED Superintending Ebgineer Kangsabati Circle-II I & W. Dte. Govt. of W.B. Paschim Medinipur diniour



ABSTRACT

Page 1 of 1

4	De	scription of Item					Qut.	Unit	Rate	Amount (Rs.)
	bushes, trees, plants, upto 30 cr Engineer-in-charge.	g and clearing jungles including shrubs, water weeds, nts, upto 30 cm. Girth including removing as directed by 20. Page-Citem-1.23 of 1 & WD USoR 2018								
		100.00 x 60.00			11111	00,00	6000.00	Sqm	5.00	30,000.00
	Excavation in ordinary soil / kankar, pebbles / silt dry or moi RESERVOIR / SFMIS etc wi capacity including cutting and I slopes in accordance with requi transporting to embankment/ dii n including spreading, levelin nicasurement : pre work and pos	st / slushy silt / stic th hydraulic excav ending in tippers, t rement of lines, gra sposal site within al g disposed spoils at	ky s vator rimu des II lif	soil for r of r ming t and cr is and	W equ ost let	DS / WHS / aired bucket iom and side s section and ad upto 1500				
		110.00 1 70.0	1	2.00	-	15400.00				
	Total excavated earthwork	90.00 x 60.0		2.00		10800.00		1		
		70.00 x 50.0	x	1.50		5250.00		1 1		
	Tota				-	31450.00		1 1		
	For embankment 200.00 x	(200+ 7.00)/2	s	2.50	*	22.50 cum				
	(It.no. 1 /page -	- 112 / WRDD / Ch	apte	r-11)	2000			1 1		
	20.00 % of excavated	cartwork			-	6290,00	6299.00	Cum	641.35	13,79,601.50
	50.00 % of excavated Excavation in soft weather WHS/RESERVOIR / SFMIS etc	isted with moorum \$ etc with hydraul ng and loading in with requirement of bonkment/ disposes eading, leveling d ne work and post w - 112/WRDD/Ckaps cartwork rock / solt late c with hydraulic ex-	i or tipp of tip i sit ispo ork) ter-1 rite cava	ghoot excaval ers, tri nes, gi e with used sp 1) rocks itor of	ing for im rad in oil	t for WDS / of required ming bottom es and cross all lifts and s at disposed 15725.00 for WDS / quired bucket	15725.00	Cum	69.78	10,97,290 ,50
	capacity including cutting and i slopes in accordance with requi transporting to embankment/ di m including spreading, leveliin measurement : pre work and po (<i>lt na 3 /page</i>)	rement of lines, gra sposal site within a g disposed spoils a	ides II lil t di	and ci fts and sposed	le	s section and ad upto 1500				
	30,00 % of excavated				-	9435,00	9435.00	Cum	82.98	17,82,916.30
	Extra rate where land is to be a		rach	or on i	Icr	And the second se				
	4 for disposal of spoils.									1. M. 1. 1.
	(R.so. 5/page	e - 112 / WRDD / Chap	ter-1	(1)	-					
					يسبق	29200 cum	297200.00	Cum	7.54	0 220,168.00
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	a dation transfer								
	A) PIPE SPILLWAY Pipe Bed 1 × 1 2 Abutment 1 × 2 1 D/S bed 1 × 1 2 Bed cutoff, D/S 1 × 1 2	xxcluding laterite g the spoils within a the side trimming the side the side am, bailing out wate tee ceeding 1,500 mm. Page - 1 / PWD But V 7.50 X 2.55 X 2.55 X 0.90 X 1.00 X 2.55 Y 2.55 X 0.90	or lea s o r as ildi X X X	sandst d of 75 of tren requir 0.30 0.80 0.23 0.50	on 5 n ch	c) including a as directed. cs, levelling, complete. 5.74 3.67 0.64 0.38				
	(including mixed soil but c removing, spreading or stacking The item includes necessary dressing and ramming the botte (a) Depth of excavation not exc (ILno, 2 (A)/ A) PIPE SPILLWAY Pipe Bed 1 × 1 2 Abutment 1 × 2 2 D/S bed 1 × 1 1 Bed cutoff, D/S 1 × 1 1 Bed cutoff, J/S 1 × 1 2	xcluding Interite g the spoils within a trimming the sidd trimming the sidd mm, bailing out wate eceding 1,500 mm. Page - 1 / PWD Bu x 7.50 x 2.55 x 2.55 x 0.90 x 1.60 x 2.55 x 2.55 x 0.90 x 1.60 x 2.55 x 2.55 x 0.30	or lea r as illdi	sandst d of 7: of tren requir 0.30 0.80 0.25 0.50 0.30	on 5 n ch	c) including a as directed cs, levelling, complete. 5.74 3.67 0.64 0.38 0.30				
	(including mixed soil but c removing, spreading or stacking The item includes necessary dressing and ramming the botto (a) Depth of excervation not exc (It.mo. 2 (A)/ A) PIPE SPILLWAY Pipe Bed 1 X 1 2 Abutment I X 2 2 D/S bed 1 X 1 Bed cutoff, D/S 1 X 1 Bed cutoff, side 1 X 2 Catoff bellow 1 X 2	xxcluding laterite g the spoils within a the side trimming the side the side am, bailing out wate tee ceeding 1,500 mm. Page - 1 / PWD But V 7.50 X 2.55 X 2.55 X 0.90 X 1.00 X 2.55 Y 2.55 X 0.90	or lea s o r as ildi X X X	sandst d of 75 of tren requir 0.30 0.80 0.23 0.50	on 5 n ch	c) including a as directed. cs, levelling, complete. 5.74 3.67 0.64 0.38				

DETAILS ESTIMATE

Page 1 of 3

File No. FOR-13011/47/2020-SECTION(FOR)-Dept. of Forest (Computer No. 327685) teceipt No : 1296322/2020/SECTION(FOR)

	course or below flooring or roof terracing or in founda (It.no. 3/Page - 47/ PWD Building	,			Euror 3			
,	A) PIPE SPILLWAY				1 1 2			tri ta e pi
,	1 1 1 1 1 1 1 1 2.33		-	19.13				Contraction of the second
	Abutment 1 x 2 x 2.55 x 0.60		-	3,06				T HAT IS AN AVE
	D/S bed 1 X 1 X 1.00 X 2.55		-	2.55				
	Toe wall 1 X 1 X 150.00 X 0.50			75.00				and the second second second
-	Total Hire and labour charges for shuttering with centering		1=1	99.74	99.74	Segen	24.00	0 2,393.76
	upto 4 m using approved stout props and thick hard w thickness with required bracing for concrete slabs lintels curved or straight including fitting, fixing completion of works (upto roof of ground floor), 25 m without staging in foundation (itam.35 (07*gg - 43 / PWD Building)	s, beams and str nm to 30	inks s ar rikir	of approved id columns,				
	A) PIPE SPILLWAY							25. U
	Pipe Bud 1 X 2 X 7.50 X 0.15		-	2.25		1		and the second
Î	I X 2 X 2.55 X 6.15 Abstrant I X 2 X 2.53 X 6.15		H	6.77 9.77	5.78 E. T			
	1 X 2 X 9.60 X 0.15		1-	0.19				5
	Abstiment entoff 2 X 2 X 2.55 X 1.50		-	15,30		1		
	2 X 2 X 0.60 X 1.50		-	3.60			1.9	
	I X 2 X 9.50 X 6.10 Bod cutoff, D/S I X 2 X 2.55 X 6.50		1-	0.10				
	Bod cutoff, D/S 1 X 2 X 2.55 X 6.50 Bed cutoff, side 1 X 4 X 1.00 X 0.50		H	2.55			100	
	3 X 2 X 0.30 X 0.50		H	0.90				
	DiShed 1 X 3 X 2.55 X 0.10		H	9.77				A Distance in the second
	Total		-	30 99	30.99	Som	203.00	□ 6,290.97
1	Ordinary Cement concrete (mix 1:2:4) with graded ste	me chin	s (2)	0 mm				0,270.97
	nominal size) excluding shuttering and reinforcement, as per relevant IS codes. (a) Pakur Variety [As per rate analysis of PWD schedule (Eaclar	,if any, i	in gi	round floor				
	Pipe Bad I X I X 7.50 X 2.53 X							
	Page Red 1 X 1 X 7.50 X 2.53 X Abutment 1 X 2 X 2.55 X 0.60 X		-	2.87				
	D/S hed 1 X 1 X 100 X 255 X	and the second second		0.31				
	Bed cutoff, D/S 1 X 1 X 2.55 X 0.30 X	0.50	-	0.38				
	Heal cutoff, side 1 X 2 X 1.00 X 0.30 X	0.50	-	0.30				
	Toe wall wearing coat 1 X 1 X 150.00 X 0.50 X	9.675	-	3.63	-			
		1.00	1-1	9.75	9.75	Com	6330,90	0,61,726.28
	Ordinary Cement concrete (mix 1:2:4) with graded nominal size) excluding shuttering and reinforcement as per relevant IS codes. (a) Pakur Variety [As per rate analysis of PWD schedule (Enc	Lif any.	in g	round floor				
3	Spillway Abutment	1	ГТ					
	Vesili 1 A 2 x 255 x 0.60 x	1.50	•	4.59				
	Tee Wall 1 X 1 x 150.00 x 0.50 x	1.50	=	112.50			1 Sugar	
	Total	Sec.	-	117.09	117.09	Cum	6330.90	07,41,285.08
	Plaster (to wall, floor, ceiling etc.) with sand and ce rounding off or chamfering corners as directed a including throating, nosing and drip course, scal necessary (Ground floor). [Excluding cost of chipping of a) Mortar Mix. 1. 6, (i) 20 mm thick (Item No1 (i) (b) / Page No49 / PWD, SOR Vol 1 A) PIPE SPILLWAY	and rak ffolding/ over con	ing /stag	out joints ting where e surface]				
	Abutment 1 x 2 x 2.55 x 1.70 Deduction for		-	8.67				
J	pipe 1 X 6 X 0.785 X 0.49		-	-2.31				
and the second se	Total		-	6.36	6.36	Squi	153.00	00,973.08
Contraction of the local division of the loc	(Item No 15 / Page No 192 / PWD, SOI			.m per 100				
and the second se	Same as plaster			6.36	6.360	Squi	34.00	0,216.24
		3 as per	desi	gn in Single				
	Providing and Laying Reinforced Cement Concrete Pipe NP Row Providing and laying reinforced cement concrete pipe N culverts on first class bedding of granular material in single r cement mortar 12 as per Technical Specification Clause 1 MORD. (D) 600 mm dia	IP3 with row inch	atins	tixing with				
	Providing and Laying Reinforced Cement Concrete Pipe NP Row Providing and laying reinforced cement concrete pipe N culverts on first class bedding of granular material in single r cement mortar 1.2 as per Technical Specification Clause 1	IP3 with row inclu 1106 for	atins	tixing with				

DETAILS ESTIMATE

Page 2 of 3

File No. FOR-13011/47/2020-SECTION(FOR)-Dept. of Forest (Computer No. 327685) (ecceipt No : 1296322/2020/SECTION(FOR)

Providing weep holes in Brick masonry / Plain / Reinforced concrete butment, wing wall / return wall with 100 mm dia AC pipe, extending 14 through the full width of the structure with slope of 1V-20H towards drawing face. (Fg 297, St no13.83 of PWD Road schedule & 15 th Corrigenda) [*] 50 Nos 50 Supplying, testing and installation of open Weave Jute Geo-No 115 S,730.00 textile(JGT)havingoverallweightof500gm/sq.m,thickness6mm,width1220mm ,Tensilestrength10KN/m(Warpdirection)*7.50KN/m(weftdirection)onslopes ofembankmentsdressedandcuttoagradientasperdesignanddrawingforcontrolo surfacesoilcrosiononproposedbankslopcofembankmentincludingthecostofprep arationofsub-gradeandexcavatingthetrenchesof500mmdeepandspadewidthwidewherenecessary and filling the trenches with earthduly secured gradebyUshapeM5staples(11gauges)orwoodenorplasticpegsatanintervalof450 mm, providingsidelappingof100mmandhorizontallappingof300mmasperdirect ioncomplete. Therate is inclusive of all incidental charges, transportation by all mea nstotheworksite, all leads and lifts complete. (Payment will made on the basis of finished surface area of the slope).
 Item no2.81/page - C2MA WDr Capter -1 ISOR2018

 Precastcementconcreteblocksorfiningunitsasperdesignedsizeandspecification, withwellgradedstonemetalaggregate, includingdressing, ramming, shuttering, frequencies, frequenci 4032.00 Sqn 58.00 233,856.00 nishingthetopsurfacewith 1.3 cementandsandmortar, curing, transporting and la ingtheblocksorliningunitsatworksiteinposition, overfilter, layer, keepingagapof 6mmbetweentheadjacentunits.bysucofremovableplyboardsornonremovablethe rmocolboards, withallleads and lifts, including supply and carriage of all materials (Therateisexclusiveofthecostofstoncaggregatcanditscarriageuptosite. ConstructionwinghastoaddthecostofsamefromtheSoRofPW(Roads)toderivetheconsolid 16 67.50 C) 6981.53 04,71,253.28 atedrate. Consumption chart of the USoR may be used for assessing the quantity of construction of the transmission of transmission of the transmission of transmuscaggregatesper
 arseaggregatesper
 cum
 oi
 concrete).

 With Stone Aggregate (Pakur, North Bengal or Rajmahat varieties)
 o)
 Nominal Mix. 1:2:4
 with 20 mm down coarse aggregate

 b) Nominal Mix. 1:1:5:3 with 20 mm down coarse aggregate
 150.00 X 30.00 X 0.15
 = 67.50
 cum [ftem no 2.54/ page - C19.74 WD/ Capter -1] Construction of a Sign board of size L80 m x 1.20 m made of brick masonary (1:4) cement mortar 125 mm thick inside sourrounding with 250 mm x 250 mm thick out side, foundation depth 0.60 m, with 15 mm thick plaster(1:6). Lettering should be done with approved Black paint over 1.00 LS 3500.00 Yellow Background complete as per direction of E-I-C. 0 3,500,00 [Approved rate of S.E. (A-I), Bankura (A-I) Circle] Total 041,20,960.36 Say 041.20,960.00

Divisional Forest Officer Rupnarayan Division Midnapore

TECHNICALLY VETTED now Sincer Superin. Rar 111 16 14 Paschim Nieumpur V.B.



Page 3 of 3

DETAILS ESTIMATE

File No. FOR-13011/47/2020-SECTION(FOR)-Dept. of Forest (Computer No. 327685) (ecceipt No : 1296322/2020/SECTION(FOR)

5

`` .

-	ANNEXURE "X"	
	GENERAL ABSTRACT OF COST	
SL NO	DESCRIPTION	AMOUNT
1	COST OF WORK	□ 4,120,960.36
2	GST@ 12 % , AS APPLICABLE ON SL NO 1	G 494,515.24
3	COST OF ALL WORKS EXCLUDING LABOUR WELFARE CESS	0 4,615,475.60
4	ABOUR WELFARE CESS @ 1% ON SL NO 3	L 46,154.76
5	CONTIGENCY CHARGE @ 3% ON SL NO 3	D 138,464.27
6	COST OF ALL WORKS INCLUDING LABOUR WELFARE CESS	□ 4,800,094.63
	Say	4,800,095.00
	Say Rupees Forty Eight Lakh Ninety Five Only	0

Divisional Forest Officer Rupnarayan Division Midnapore

TECHNICALLY VETTED 500 201 Supering this Engineer Kangsol an Circle-II I & W. Die. Govt. of W.B. Paschim Medinipur



ABSTRACT

Page 1 of 1